# Miles Nelson<sup>®</sup>

Architectural Hardware est. 1928

From the outside in, make your house a home.




P: 0800 663 5766 F: +64 9 489 5552

E: info@milesnelson.co.nz PO Box: 31 043 | Milford, Auckland

milesnelson.co.nz









# Founded in 1928, Miles Nelson is one of New Zealand's most trusted hardware companies and is proud to be 100% privately New Zealand owned and operated.

Based in Auckland, Miles Nelson distributes nationwide and internationally, and is well known for its quality product range, innovative design and commitment to customer service.

Miles Nelson's long history as a manufacturer, coupled with in house technical expertise and custom designed proprietary products means that our range is specifically designed and manufactured to suit the New Zealand market.

The use of quality materials coupled with a range of high quality finishes and a suite of styles makes the Miles Nelson range the ideal choice for commercial and residential projects.

## **Contents**

Miles Nelson offers a comprehensive range of residential and commercial architectural hardware products:



# Choosing the right product for your home

Please refer to this house cross section to quickly find products for different areas of your home within this brochure.

Featured in this brochure is a broad range of quality hardware Miles Nelson offers to suit residential and commercial applications.

To view the full range of products visit:

milesnelson.co.nz

Follow us on:

**f** milesnelsonNZ

**MilesNelsonNZ** 

milesnelsonnz



### Door Fittings & Flush Bolts

Rebate kits	20
Door stops and holders	4
Hinges	48
Flush bolts	5.
Neck & socket bolts	57-58
Patio holts	7.

# Stairwell

Bannister brackets	63
Lumos LED	64
stairwell lighting	

# Window

Window stays	70-71
Fittings	70-71
Window restrictor	76
Fasteners	71-74



# **Interior Doors**


Lever and knob sets	22-33
Cavity sliders, latches and pulls	37
Flush pulls and lock sets	38-40
Door stops	42-47
Coat hooks	60
Hinges	49

# **Entrance**

5	10.10
Pull handles	18-19
Deadlocks / bolts	24,31
Coat hooks	60
Door guards/viewers	53
Numbers / letters	86

# Bathroom

Robe hooks	78-80
Towel rings	78-80
Towel rails	78-80
Toilet roll holders	78-80
Toilet brushes	78-80
Grab rails	85



# **Things to Consider**

# Types of Door Functions

#### **Entrance**

Exterior doors – internal locking with turn or button, key access from outside.

#### Deadbolt

Single cylinder key and turn or double cylinder key locking from both sides of the door.

#### **Passage**

For general interior or hallway doors (non-locking operation).

#### Privacy

For bedroom or bathroom doors (internal locking, emergency access from outside).

#### **Dummy**

For wardrobe and cupboard doors (fixed lever or knob).


# **Replacing Hardware**

If you are looking to replace hardware on an existing door, or a door with predrilled holes, you'll need to measure the diameter of the holes and make sure the hardware face plate or trim will cover the openings.

Measure the backset: the distance from the door edge to the centre of the handle or key barrel and the width of the door stile: which is the vertical panel at the edge of a frame and glass panel door, where the door hardware is installed.

The width of the door stile is important when selecting a lock or handle with the correct backset, particularly if the door is panelled as this reduces the available area to install hardware.

Please refer to the graphic below:



# **Things to Consider**

# Thickness of the Door

Most interior doors range from 33-40mm thick and an exterior door is 40-45mm thick.

If your door's thickness differs from these standards, you may need to purchase conversion components to ensure the hardware will work with your door.

If you're purchasing a lockset with a lever handle that is left or right handed (i.e. it will only work on either a left or right opening door), you may need to know the direction your door swings (called the door handing or hand-of-door) so you don't end up with levers that are upside down or on the wrong side of the door.

For ease of use Miles Nelson recently launched a range of lever handles and deadbolts called the S range which are non-handed. They also feature a unique interlocking mechanism for easy installation and to avoid the handles drooping after installation.

# **Door Handing**

Please note that some products are handed to suit right or left hand opening doors.

Please refer to the diagrams below:



RIGHT HAND Hinges on left, opens inward



LEFT HAND Hinges on right, opens inward



RIGHT HANDED HANDLE



LEFT HANDED HANDLE

Stand on the secure side of the door (where you would insert your key, or an unlocking tool if it was a privacy set). For interior doors you should stand on the side that you would enter from i.e. In the hall if opening a hall cupboard door, in the bedroom if the door opens to an ensuite, in the hall if opening into a living room.

For pairs or double doors, determine the hand of the active leaf. The active leaf is typically the door with the lockset. Both leaves may be active.

# Window Types and Fittings

# Security

It is important to note the type of window you are purchasing the fitting for, as there are several types of window which use different stays.

Please refer to the diagram below to check your window type before selecting the appropriate stay or lock in the window fittings section:



AWNING WINDOW



CASEMENT WINDOW



SLIDING WINDOW



SASH WINDOW If you are choosing the hardware for an exterior door, consider how much security you need or want.

Double cylinder locks are usually the most secure, particularly if you have a glass entry door. Some people like to install a double-cylinder deadbolt; with this setup, an intruder can't unlock the door from the inside even if they break the glass. This also prevents thieves from carrying large items out of a property through the front or back door if they do gain access through a window.

It is important to remember lockable patio bolts on sliding doors for this reason also. However, you'll only want to use a double-cylinder lock if you have another easily accessible fire exit or keep the key in a readily accessible place, to enable occupants to escape the house in an emergency.

# Miles Nelson Common Finishes Glossary

Door hardware and window fittings are available in a variety of styles and finishes so you can choose a style that complements your home, as well as the finishes on other hardware and light fixtures.


When choosing a finish, keep in mind that oil-rubbed bronze, antique bronze and copper are all living finishes that will change over time. Polished brass can tarnish if used outside, to avoid tarnishing it is best to keep it clean and wax it lightly with an appropriate product. Another exterior option to consider is stainless steel.


There are two standard grades of stainless steel: 304 for exterior use in non-coastal areas and 316 for exterior use in properties within 500m of the ocean.

This is especially important to consider in New Zealand with our close proximity to the ocean. Stainless steel can also be cleaned using an appropriate cleaner.

For a clean, contemporary look we also offer the recently launched range of entry and internal door hardware and door stops in a matt black finish.

Please refer to the common finishes glossary below and listed with each product when making your selection.





# **Miles Nelson symbols**









## **Warranty information**



#### Products covered: Electronic entry and deadbolt. MN9000L, MN9000R, MN9001L and MN9001R.

All electrical and electronic components used in Miles Nelson range of products excluding batteries are guaranteed for a period of 3 years from the date of proof of purchase, unless otherwise stated.

Miles Nelson assumes no liability under the warranty for the following:

- 1. Improper installation or failure to follow fitting instructions.
- 2. Failure due to improper maintenance.
- 3. Fair wear and tear.
- 4. Indirect or consequential loss or damage.
- 5. Cost of removal and / or replacement.
- 6. Cost of freight and / or travelling time.
- 7. Damage to or deterioration of plated finishes (soft finishes) or finishes exposed to a corrosive environment. As deterioration is possible under some environmental conditions.
- 8. Any modification or repairs to a product, as supplied unless authorised by Miles Nelson.
- 9. Use of replacement parts other than authorised parts.
- 10. Malfunction or failure of the product due to the use of non-genuine Miles Nelson parts.



Products covered: All General Hardware Products including Bannister Brackets, Bathroom Fittings, Cabinet Hardware & Handles, Cabin Hooks, Door Fittings, Door Stops, Hinges, Hooks, Kickplates, Push Plates, Grab Rails, Letterbox Letters & Numbers, Neck Bolts, Security Fittings (excluding the Patio Bolts, Mini Bolts, Restrictor Stays and Security Window Stays) and Socket Bolts.

These products are warranted to be free from mechanical and workmanship defects for 5 years from the original date of purchase.

If a mechanical defect occurs simply return the product together with proof of purchase to point of purchase for replacement.

Over time the surface may deteriorate if exposed to adverse atmospheric conditions caused by sea, air and weather. Finish deterioration caused by exposure to adverse atmospheric conditions or occurring from the use of paints, solvents, acid cleaners or scratching from keys is not considered a defect in the finish and is not covered by the warranty conditions.

Likewise the warranty does not cover damage caused by incorrect installation, accident, neglect or other factors over which Miles Nelson have no control and as such Miles Nelson shall not be held liable for any losses or expenses such as loss of use, damage to property or consequential damages or expenses.



Products covered: Miles Nelson Commercial Door Furniture, Miles Nelson Commercial Door Closers, Door Handles & Pulls, Restrictor Stays, Security Window Stays, Patio Bolts and Mini Bolts.

These products are warranted to be free from workmanship defects for 10 years from the original date of purchase. If a defect is detected simply return the product together with proof of purchase to the supplier for replacement. Products are designed for interior residential applications, unless otherwise stated.

Over time the surface may deteriorate if exposed to adverse atmospheric conditions caused by sea, air and weather. Finish deterioration caused by exposure to adverse atmospheric conditions or occurring from the use of ammoniated detergents, metal polishes, solvents, corrosive environments or other abrasive agents or scratching from keys is not considered a defect in the finish and as such is not covered by the warranty.

Likewise, the warranty does not cover damage caused by incorrect installation, accident, neglect or other factors over which Miles Nelson have no control and as such Miles Nelson shall not be held liable for any losses or expenses such as loss of use, damage to property or consequential damages or expenses.



#### Products covered: S Range and Milano door handles.

These products are warranted to be free from mechanical and workmanship defects for 10 years from the original date of purchase. If a mechanical defect occurs simply return the product together with proof of purchase to point of purchase for replacement.

This warranty does not cover the finish, defects or damage arising from improper installation, incorrect product application, improper maintenance, storage, shipping, handling or normal wear and tear or products used in commercial applications as "Commercial" is defined as any application other than those found on private residences.

### **Warranty information**



Miles Nelson Manufacturing Ltd guarantees its products against defects in workmanship and materials. Should the product develop fault within its normal working life, Miles Nelson will repair or replace product of the same or equivalent product free of charge. Miles Nelson Manufacturing Ltd assumes no liability under this guarantee for the following.

- 1. Incorrect installation or failure to follow instructions.
- 2. Failure through improper maintenance or fair wear and tear.
- 3. Loss or damage costs incurred either indirect or consequential.
- 4. Cost of removal, replacement, and/or travelling time.
- 5. Any modification to the product from its original supplied operation design.
- 6. Plated finishes deterioration under some climatic conditions or chemical environment are exempt from this guarantee.

Miles Nelson Manufacturing Ltd reserves the right to determine whether or not any fault is caused by defects in workmanship or that any product is defective. Product specification and design improvement may change as a result of our continued commitment to quality, materials and development program. Consumer Guarantees act does not apply.



The lifetime warranty covers the integrity of the product(s) base material and as such the product is guaranteed to be free from material defects for the lifetime of the product.

The product finish is subject to the same conditions that apply to the 5 year warranty, as above.







There are two types of stainless steel commonly used in the hardware industry, 304 grade and 316 (marine) grade. 316 grade stainless has molybdenum as an additive that improves its resistance to pitting and corrosion and should be used when exposed to seaside conditions.

With a little bit of care you can minimise, if not prevent tea staining and get years of visual enjoyment from your stainless steel.

Tea staining can be described as: discolouration of the surface of stainless steel that does not affect the structural integrity or the longevity of the material. Tea staining of stainless steels occurs most commonly in coastal areas and becomes progressively worse the closer you get to water (note that most of New Zealand is considered a coastal area). Other factors such as pollution, higher temperatures and humidity can also increase the effect.

To prevent tea staining, perform regular maintenance – Wash regularly with clean fresh water, mild detergent and a cloth or soft brush. After washing rinse in clean water and wipe the surface dry with a soft absorbent cloth remembering to go with the grain on brushed stainless steel. Generally, you should wash your stainless steel every time you wash your windows or every three months. Do not use abrasive cleaners or a scouring pad of any type as they may cause excessive wear and dull the finish.

# Copper Maintenance

While copper is extremely aesthetically pleasing, it also has an inherent ability to kill a wide range of harmful microbes relatively rapidly – often within two hours or less which makes it the perfect metal to use on a door with a lot of use. This plus its durability makes it perfectly suited to New Zealand's coastal environment and will last a lifetime. The natural tendency of the 100% hand finished pure copper is to show its perfect imperfections, a realness that will age organically over time. This ageing process can give a sense of life and history to the hardware.

Over time the surface may deteriorate if exposed to adverse atmospheric conditions caused by sea, air and weather. Finish deterioration caused by exposure to adverse atmospheric conditions or occurring from the use of paints, solvents, acid cleaners or scratching from keys is not considered a defect in the finish and is not covered by the warranty conditions.

However, if the "as new" look is desired, then maintenance with an approved cleaner will ensure the mirror finish will always be maintained.

Clean regularly using Brasso or something similar with a soft cloth or soft brush. Do not use abrasive cleaners or a scouring pad of any type as they may cause excessive wear and dull the finish.

# **Entrance Handles**

Entrance handles help create the first impression for your home and are a daily touch point that welcomes you and your guests. Whether your entrance blends seamlessly with your chosen design or makes a statement, our comprehensive range provides a selection of entrance options to match. From the latest in digital technology through to classic stylish designs, there is a look to complement or update any home.



## Entrance Hardware



#### Digital Lock

The latest electronic lock from Miles Nelson\* offers unparalleled levels of security and convenience to the home owner. It is easy to install, programme and lets you create personal and temporary electronic keys that will allow access. It features 4 access methods - key, pin, remote or fob. Add up to 50 user codes at any one time. You can add 3 management master codes.

- Access your home by 4 way access key, pin, remote or fob
- Palm touch Illuminated touch pad
- High IP65 rating for water and dust ingress resistance
- Glass screen / UV protected
- Suits aluminium and timber doors 38 50mm thick
- 70mm backset requires a minimum 110mm stile width
- 3 year warranty
- Supplied with 2 x mechanical keys, 3 x fobs, 2 x remotes, batteries included

Left Hand	MN9000L
Right Hand	MN9000R

Additional Accessories		
Remote	MN9000REMOTE	
Fob	MN9000FOB	



#### **Digital Deadbolt**

The Miles Nelson\* dead lock offers innovation in door locking solutions with the keyless digital deadbolt latch. Ideal for use on new doors or as a replacement for an existing door lock on your home, the Keyless Digital Deadbolt latch is also suitable for internal and light commercial doors such as storerooms and shop fronts with the added feature of a passage set function. The design features a latch and double turn which works well with a feature pull handle. It features 4 access methods - key, pin, remote or fob. Add up to 50 remotes, fobs or user codes at any one time, including 3 master programming codes.

- Access your home by 4 way access key, pin, remote or fob
- Palm touch Illuminated touch pad
- High IP65 rating for water and dust ingress resistance
- Glass screen / UV protected
- Suits aluminium and timber doors 38 50mm thick
- 70mm backset requires a minimum 110mm stile width
- 3 year warranty
- Supplied with 2 x mechanical keys, 3 x fobs, 2 x remotes, batteries included

Left Hand	MN9001L
Right Hand	MN9001R

Additional Accessories		
Remote	MN9000REMOTE	
Fob	MN9000FOB	



#### The Ranger 3 'n' 1 Entry Lockset

The Miles Nelson® Ranger 3'n'1 combines the latest in door hardware design that incorporates a lockset, deadbolt and passage functions all in one set.

**Secure Function** - Secure your home while away with the double cylinder deadlock

Safety Function - Snib the handles while at home for safety and privacy

Passage Function - Free separating passage handles for everyday convenience

- Snib locking, deadbolt and passage functions
- Made from zinc diecast
- Satin Chrome finish
- 3 x keys supplied (all keyed alike C4 keyway)
- Tested 200,000 cycles
- Reversible handing
- 3 year warranty
- Adjustable 60/70mm backset Separate tubular latch and bolt
- Suits 2 x 54mm fitting holes
- Overall face plate dimension 198mm (h) x 65mm (w)
- Fitting template included



## **Barn Door** Kits



#### Barn Door Track Kit for Single doors

• Includes 2 straight hangers straps with wheels, 1 door channel with stainless steel floor guide, adjustable soft close and 2 adjustable door stops

2000mm Track	BDTKS2	MB
2500mm Track	BDTKS25	MB
3000mm Track	BDTKS3	MB
3500mm Track	BDTKS35	MB
4000mm Track	BDTKS4	MB
4500mm Track	BDTKS45	MB



#### Barn Door Track Kit for Bi Parting doors

• Includes 4 straight hangers straps with wheels, 2 door channels with stainless steel floor guides, adjustable soft close and 4 adjustable door stops

3000mm Track	BDTKD3	MB
3500mm Track	BDTKD35	MB
4000mm Track	BDTKD4	MB
4500mm Track	BDTKD45	MB





#### Wavy Barn Door Kit Back to Back Pull Handle

- 2 x pull handles
- 250mm centre to centre
- Matt black on solid stainless steel

BDK1







#### Wavy Barn Door Kit Pull Handle + Flush Pull

- 1 x pull handle 250mm centre to centre
- 1 x flush pull, 42 x 158 x 16mm
- Matt black on solid stainless steel

MB

BDK2



INTERIOR/ EXTERIOR USAGE



#### Round Barn Door Kit Back to Back **Pull Handle**

- 2 x pull handles
- 450mm overall
- 250mm centre to centre
- Matt black on solid stainless steel

BDK3





#### Square Barn Door Kit Back to Back **Pull Handle**

- 2 x pull handles
- 600mm overall
- 560mm centre to centre
- Matt black on solid stainless steel

BDK5





#### Square Barn Door Kit Pull Handle + Flush Pull

- 1 x pull handle 560mm centre to centre
- Pull handle 600mm overall
- 1 x flush pull, 42 x 158 x 16mm
- Matt black on solid stainless steel

BDK6





### Round Barn Door Kit Flush Pull

- 1 x pull handle 250mm centre to centre
- Pull handle 450mm overall
- 1 x flush pull, 42 x 158 x 16mm
- Matt black on solid stainless steel

MB

BDK4




INTERIOR/

## Pull Handles

With a combination of durability and style Miles Nelson pull handles will turn your entrance into a statement, with a range of styles to suit residential and commercial applications. Manufactured in 316 grade stainless steel, suitable for external and internal applications and for use with timber, glass and aluminium doors.

















All pull handles are suitable for glass fixing and include nylon buffers and 12mm bushes for glass mount applications. Suitable for interior / exterior use.

## **Lock and Rebate Kits**




#### Copper Pull Handle Lock Kit



- Solid copper double turns and round escutcheons
- 85mm centre to centre mortice lock with copper face plate
- 41mm non handed copper strike
- Includes 70mm key and turn C4 euro cylinder

Round	716CURLK60	CU
Square	716CUSLK60	CU



#### **Extended Strike Plates**

Left 51mm	626SPLH51	CU
Right 51mm	626SPRH51	CU
Left 61mm	626SPLH61	CU
Right 61mm	626SPRH61	CU





- Stainless steel
- To suit pull handle lock kits
- · Fixings supplied



#### Rebate Kit



#### For Double Turns see page 35.

#### Pull Handle Lock Kit



- Provides a secure latch which turns both sides for doors with pulls
- 60mm backset / 85mm centre from keyway to spindle
- Corrosion resistant stainless faceplate style
- Security deadbolt
- Excludes euro cylinder
- Suits up to 49mm door when used with a 70mm Euro cylinder

Square	716SNSLK60	SN
	716SGSLK60	SG
	716BLKSLK60	MB
Round	716SNRLK60	SN
	716SGRLK60	SG
	716BLKRLK60	MB



#### **Euro Cylinder**


- C4 profile keyway / 6 pin
- Keyed alike option
- Available in 65ml
- 3 keys supplied

Cylinder and turn 65mm	717SN65KD	SN
Cylinder key & turn (keyed alike) 65mm	717SN65KA10	SN
Double cylinder 70mm	718SG70KD	SG
Cylinder and turn 70mm	717SG70KD	SG
Cylinder and turn 70mm	717BLK70KD	MB
Cylinder and turn 70mm	717SN70KD	SN

# **Door Handles**

Door handles are one of the most important pieces of hardware in your home. One of the few pieces we use everyday. Not only should they complement the design of your home, they should be durable, ergonomic and functional.

No matter what your choice of finish is whether it be striking matt black, timeless satin chrome or anything in between. You can be rest assured that our range of quality manufactured handles will not only look great but will also stand up well to years of everyday use.



# S Range Lever Handles

Featuring contemporary lever designs combined with advanced engineering and quality manufacturing, the S range is the perfect retrofit or new home option. The range comes standard with a round rosette, a matching square rosette is also available as an accessory, along with square and round deadbolts.

#### S Range Lever Handle Features

- Manufactured to grade 3 standard
- To fit 54mm hole
- · Ideal for retro fits
- Easy DIY installation/retrofit
- Privacy set auto release function is activated by depressing the inside handle
- · Privacy button on rose
- 65mm round rose
- Suits door thickness: 32-45mm
- Comes with adjustable 60/70mm backset tubular latch
- Non-handed
- Dummy surface mount fixed

- Suitable for back to back installation (No taylor spindle required)
- 8mm spindle
- Pressure zinc die cast
- Concealed fixing
- · Fixings supplied
- Features a unique through door interlocking system that greatly improves torsional rigidity and ease of installation. Top and bottom grip points significantly reduce the risk of racking or lateral movement which can cause door damage and decreased product life. Positioning lugs inside the covers increase installation accuracy and stop potential twisting of the cover.





#### Sara Lever

- Handle length 120mm
- Projection 60mm
- Rose Diameter 65mm

Passage	SAR101	sc
	SAR101BLK	MB
	SAR101SG	SG
Privacy	SAR102	sc
	SAR102BLK	MB
	SAR102SG	SG
Dummy	SAR103	sc
	SAR103BLK	MB
	SAR103SG	SG

#### Square covers available separately, see page 24.



#### Sienna Lever

- Satin Chrome finish only
- Handle length 120mm
- Projection 60mm
- Rose Diameter 65mm

Passage	SIE101	SC
Privacy	SIE102	SC
Dummy	SIE103	sc

#### S Range Lever Handle Features

- Manufactured to grade 3 standard
- To fit 54mm hole
- · Ideal for retro fits
- Easy DIY installation/retrofit
- Privacy set auto release function is activated by depressing the inside handle
- · Privacy button on rose
- 65mm round rose
- Suits door thickness: 32-45mm
- Comes with adjustable 60/70mm backset tubular latch
- Non-handed
- Dummy surface mount fixed

- Suitable for back to back installation (No taylor spindle required)
- 8mm spindle
- Pressure zinc die cast
- · Concealed fixing
- Fixings supplied
- Features a unique through door interlocking system that greatly improves torsional rigidity and ease of installation. Top and bottom grip points significantly reduce the risk of racking or lateral movement which can cause door damage and decreased product life. Positioning lugs inside the covers increase installation accuracy and stop potential twisting of the cover.





#### Shiloh Lever

- Satin Chrome finish only
- Handle length 120mm
- Projection 60mm
- Rose Diameter 65mm

Passage	SHI101	sc
Privacy	SHI102	sc
Dummy	SHI103	sc

#### Square covers available separately, see page 24.





#### Skyler Lever

- Handle length 120mm
- Projection 60mm
- Rose Diameter 65mm

Passage	SKY101	sc
Passage	SKY101BLK	MB
Privacy	SKY102	sc
Privacy	SKY102BLK	MB
Dummy	SKY103BLK	sc
Dummy	SKY103SG	MB

# S Range Rosette Covers and Deadbolts

#### Square Rosette Cover for S Range


- Features unique locking lugs to ensure it remains square on the door
- 65 x 65mm
- · Sold as pairs
- · Passage or privacy covers available

Passage and Dummy	SCOVER	(pair)	sc
<b>,</b>	SCOVERBLK	(pair)	MB
	SCOVERSG	(pair)	SG
Privacy	SPCOVER	(pair)	sc
	SPCOVERBLK	(pair)	MB
	SPCOVERSG	(pair)	SG





- C4 keyed lock and turn
- Single cylinder only (key one side)
- Manufactured to grade 3 standard
- 65 x 65mm
- Supplied with adjustable bolt, 60 or 70mm backset
- Suits door thickness: 32-45mm
- Particularly suited for internal garage door security due to its low protrusion profile
- SC Keyed alike barrels available on request
- Fixings supplied





**Black** 



Satin Graphite

















TO SUIT S RANGE HANDLES



#### **Tubular Latch**

- 8mm spindle
- 60 / 70mm adjustable latch
- Suits S Range door handles

S60/70	sc
S60/70BLK	MB
S60/70SG	SG

## Italian styled architectural handles. Quality, style and functionality.

## Milano Range Lever Handles

#### **Door Handle Sets**

Lever Set levers only (no latchset)

Passage Set includes lever set and 60mm tubular latch
Privacy Set includes lever set, 60mm tubular latch,
privacy turn set and tubular privacy bolt

**Dummy Set** includes dummy lever and taylor spindle

Entrance Set

Long Plate set

includes lever set, euro escutcheons, 716SS60 euro mortice lock and euro cylinder and turn

includes 716SS60 euro mortice lock and

cylinder and turn

Integrated Privacy Set includes privacy lever set and 60mm privacy

tubular latch

**Installation** 25mm hole plus 2 x 7mm through fixing holes







Passage Set	PAR101BLK	MB
Privacy Set	PAR102BLK	MB
Integrated Privacy Set	PAR108BLK	MB
Dummy Set	PAR103BLK	MB





D. D. D. C.	
PARTOTSG	SG
PAR102SG	SG
PAR108SG	SG
PAR103SG	SG
	PAR108SG



#### Parma Satin Nickel

Lever Set (furniture only)	PAR100	SN
Passage Set	PAR101	SN
Privacy Set	PAR102	SN
Dummy Set	PAR103	SN
Entrance Set	PAR104	SN
Long Plate E85 Euro Keyhole (furniture only) See page 31	PAR106	SN
Long Plate Set See page 31	PAR107	SN
Integrated Privacy	PAR108	SN



PAR103SMBC



**Dummy Set** 



Lever Set (furniture only)	PAR200 SN
Passage Set	PAR201 SN
Privacy Set	PAR202 SN
Dummy Set	PAR203 SN
Entrance Set	PAR204 SN
Long Plate E85 Euro Keyhole (furniture only) See page 31	PAR206 SN
Long Plate Set See page 31	PAR207 SN
Integrated Privacy	PAR208 SN

- Lever handles designed for comfort
- Available with round or square back plates
- Easy installation
- · Locking handle grub screw, ensures a firm handle action
- Solid mechanical components for superior and long lasting performance
- 60mm backset
- 55mm rose

#### **Door Handle Sets**

**Lever Set** levers only (no latchset)

Passage Set includes lever set and 60mm tubular latch
Privacy Set includes lever set, 60mm tubular latch,

privacy turn set and tubular privacy bolt

**Dummy Set** includes dummy lever and taylor spindle

Entrance Set

Long Plate set

Integrated Privacy Set

. .

Installation

includes lever set, euro escutcheons, 716SS60 euro mortice lock and euro cylinder and turn

includes 716SS60 euro mortice lock and

cylinder and turn

includes privacy lever set and 60mm privacy

tubular latch

25mm hole plus  $2 \times 7$ mm through fixing holes







#### Forli Round Rosette

- Satin Nickel finish
- Handle length 126mm
- Projection 63mm
- Rose diameter 55mm

Lever Set (furniture only)	FOR100	SN
Passage Set	FOR101	SN
Privacy Set	FOR102	SN
Dummy Set	FOR103	SN
Entrance Set	FOR104	SN
Long Plate E85 Euro Keyhole (furniture only) See page 31	FOR106	SN
Long Plate Set See page 31	FOR107	SN
Integrated Privacy	FOR108	SN

#### Forli Square Rosette

- Satin Nickel finish
- Handle length 126mm
- Projection 63mm
- Rose size: 55 x 55mm

Lever Set (furniture only)	FOR200 SN
Passage Set	FOR201 SN
Privacy Set	FOR202 SN
Dummy Set	FOR203 SN
Entrance Set	FOR204 SN
Long Plate E85 Euro Keyhole (furniture only) See page 30	FOR206 SN
Long Plate Set See page 30	FOR207 SN
Integrated Privacy	FOR208 SN



## Milano Range **Lever Handles**

#### **Door Handle Sets**

Lever Set levers only (no latchset)

Passage Set includes lever set and 60mm tubular latch **Privacy Set** includes lever set, 60mm tubular latch, privacy turn set and tubular privacy bolt

includes dummy lever and taylor spindle **Dummy Set** 

**Entrance Set** 

Long Plate set

Integrated Privacy Set

Installation

includes lever set, euro escutcheons, 716SS60 euro mortice lock and euro cylinder and turn includes 716SS60 euro mortice lock and

cylinder and turn

includes privacy lever set and 60mm privacy tubular latch

25mm hole plus 2 x 7mm through fixing holes





#### Verona Round Rosette Black

Passage Set	VER101BLK	MB
Privacy Set	VER102BLK	MB
Dummy Set	VFR103BLK	MB



#### Verona Round Rosette

- Satin Nickel finish
- Handle length 125mm
- Projection 52mm
- Rose diameter 55mm

Lever Set (furniture only)	VER100 SN
Passage Set	VER101 SN
Privacy Set	VER102 SN
Dummy Set	VER103 SN
Entrance Set	VER104 SN
Long Plate E85 Euro Keyhole (furniture only) See page 31	VER106 SN
Long Plate Set See page 31	VER107 SN
Integrated Privacy	VER108 SN





#### Verona Square Rosette Black

Passage Set	VER201BLK	MB
Privacy Set	VER202BLK	MB
Integrated Privacy Set	VER208BLK	MB
Dummy Set	VER203BLK	MB



#### Verona Square Rosette Satin Graphite

Passage Set	VER201SG	SG
Privacy Set	VER202SG	SG
Integrated Privacy Set	VER208SG	SG
Dummy Set	VER203SG	SG

#### Verona Square Rosette

- Satin Nickel finish
- Handle length 125mm
- Projection 52mm
- Rose size: 55 x 55mm

Lever Set (furniture only)	VER200	SN
Passage Set	VER201	SN
Privacy Set	VER202	SN
Dummy Set	VER203	SN
Entrance Set	VER204	SN
Long Plate E85 Euro Keyhole (furniture only) See page 31	VER206	SN
Long Plate Set See page 31	VER207	SN
Integrated Privacy	VER208	SN

- Lever handles designed for comfor
- Available with round or square back plates
- Easy installation
- Locking handle grub screw, ensures a firm handle action
- Solid mechanical components for superior and long lasting performance

#### **Door Handle Sets**

**Lever Set** levers only (no latchset)

Passage Set includes lever set and 60mm tubular latch
Privacy Set includes lever set, 60mm tubular latch,
privacy turn set and tubular privacy bolt

**Dummy Set** includes dummy lever and taylor spindle

Entrance Set includes lever set, euro escutcheons, 716SS60 euro mortice lock and euro cylinder and turn

**Long Plate set** includes 716SS60 euro mortice lock and cylinder and turn

Integrated Privacy Set includes privacy lever set and 60mm privacy tubular latch

**Installation** 25mm hole plus 2 x 7mm through fixing holes





#### Lucca Round Rosette

- Satin Nickel finish
- Handle length 125mm
- Projection 63mm
- Rose diameter 55mm

Lever Set (furniture only)	LUC100	SN
Passage Set	LUC101	SN
Privacy Set	LUC102	SN
Dummy Set	LUC103	SN
Entrance Set	LUC104	SN
Long Plate E85 Euro Keyhole (furniture only) See page 31	LUC106	SN
Long Plate Set See page 31	LUC107	SN
Integrated Privacy	LUC108	SN



#### Lucca Square Rosette

- Satin Nickel finish
- Handle length 125mm
- Projection 63mm
- Rose size: 55 x 55mm

Lever Set (furniture only)	LUC200 SN
Passage Set	LUC201 SN
Privacy Set	LUC202 SN
Dummy Set	LUC203 SN
Entrance Set	LUC204 SN
Long Plate E85 Euro Keyhole (furniture only) See page 31	LUC206 SN
Long Plate Set See page 31	LUC207 SN
Integrated Privacy	LUC208 SN

## Milano Range Lever Handles

#### **Door Handle Sets**

Lever Set levers only (no latchset)

Passage Set includes lever set and 60mm tubular latch

**Privacy Set** includes lever set, 60mm tubular latch, privacy turn set and tubular privacy bolt

**Dummy Set** includes dummy lever and taylor spindle

**Entrance Set** 

includes lever set, euro escutcheons, 716SS60

euro mortice lock and euro cylinder and turn

**Long Plate set** includes 716SS60 euro mortice lock and

cylinder and turn

Integrated Privacy Set includes privacy lever set and 60mm privacy

tubular latch

**Installation** 25mm hole plus 2 x 7mm through fixing holes









#### Tivoli Black Chrome

Passage Set	TIV101MBC	ВС
Privacy Set	TIV102MBC	ВС
Integrated Privacy Set	TIV108MBC	RC

Dummy Set - Right Hand TIV103MBCRH BC

Dummy Set - Left Hand TIV103MBCLH





#### Tivoli Satin Graphite

Passage Set	TIV101SG	SG
Privacy Set	TIV102SG	SG
Integrated Privacy Set	TIV108SG	SG
Dummy Set - Right Hand	TIV103SGRH	SG
Dummy Set - Left Hand	TIV103SGLH	SG



#### Anzio

- · Satin Nickel finish
- Handle length 128mm
- Projection 68mm
- Rose diameter 55mm

Lever Set (furniture only)	ANZ100	SN
Passage Set	ANZ101	SN
Privacy Set	ANZ102	SN
Dummy Set - Right Hand	ANZ103RH	SN
Dummy Set - Left Hand	ANZ103LH	SN
Entrance Set	ANZ104	SN
Long Plate E85 Euro Keyhole (furniture only) See page 31	ANZ106	SN
Long Plate Set See page 31	ANZ107	SN
Integrated Privacy	ANZ108	SN

#### Tivoli

- Satin Nickel finish
- Handle length 124mm
- Projection 61mm
- Rose Diameter 55mm

Lever Set (furniture only)	TIV100	SN
Passage Set	TIV101	SN
Privacy Set	TIV102	SN
Dummy Set - Right Hand	TIV103RH	SN
Dummy Set - Left Hand	TIV103LH	SN
Entrance Set	TIV104	SN
Long Plate E85 Euro Keyhole (furniture only) See page 31	TIV106	SN
Long Plate Set See page 31	TIV107	SN
Integrated Privacy	TIV108	SN

# Milano Range Longplate Handles





Note: All Milano lever styles come as a long plate option. See pages 25-29

for codes.

**MECHANICAL** WARRANTY















#### Milano Privacy Turn

- Projection 10mm
- Rose Diameter 55mm
- Square 55 x 55mm

MIL300	SN
452RPTSG	SG
452RPTBLK	MB
MIL305	SN
452SPTSG	SG
452SPTBLK	MB
	452RPTSG 452RPTBLK MIL305 452SPTSG

#### Milano Euro Escutcheo

- Projection 10mm
- Rose Diameter 55mm
- Supplied in pairs

n	Round Rose	MIL400	SN
		451REESG	SG
		451REEBLK	MB
	Square Rose	MIL405	SN
		451SEESG	SG
		451SEEBLK	MB



#### Milano Tubular Privacy Bolt

- 60mm backset
- 5mm spindle
- Use with MIL300

MIL320	SN
452PBSG	SG
452PBBLK	MB



#### Milano Tubular Latch

- 60mm backset
- 8mm spindle / includes dust box
- Recessed box shield included

MIL325	SN
MIL325SG	SG
MIL325BLK	MB
MIL325MBC	ВС



#### **Taylor Spindle**

- Made from Steel
- Supplied with 4 x wood screws
- · Face fixed on door
- 8mm spindle

Length: 30mm; Base size: 33mm	777CP	СР
----------------------------------	-------	----

# **Internal and External Deadbolts**



#### **Round C4 Keyed Lock** and Turn Unit

- Low profile
- Ideal for garage internal door
- Round base
- Key and turn (single cylinder)
- Fixings supplied
- Includes bolt

6205EULBOX 6205EULBOXPB





#### **Square C4 Keyed Lock** and Turn Unit

- Low profile
- Ideal for garage internal door
- Square base
- Single cylinder
- Fixings supplied
- Includes bolt

6206EULBOX 6206EULBOXPB



#### **Deadbolts**

- 5 pin cylinder
- C4 keyway
- Suits door thickness: 32-45mm
- Supplied with adjustable bolt, 60 or 70mm backset
- Base size: 65mm
- · Fixings supplied










301DSN













# Selim handles, Pro Series Range and Knob sets





#### Selim Latch Pass

- · Made from zinc diecast
- 110mm plate size
- 7.6mm spindle
- Will suit left and right hand installation
- · Sold as a pair

280CPLH	<b>CP</b>
280SCLH	sc

#### Selim Privacy Snib

- · Made from zinc diecast
- 110mm plate size
- 7.6mm spindle
- Will suit left and right hand installation
- · Sold as a pair

280CPS	<b>CP</b>
--------	-----------

#### **Selim Entry Door Lock**

- · Made from zinc diecast
- 140mm plate size
- 7.6mm spindle
- · Will suit left and right hand installation
- · Sold as a pair



#### **Pro Series Range**

- Non handed
- Ergonomic design
- Concealed through door fixing
- Supplied with adjustable tubular non handed latch, 60 or 70mm backset
- To fit 54mm hole
- Suits door thickness: 32-45mm
- Base size: 65mm
- Fixings supplied

#### **Turin Lever Set**

Entrance	878SN	SN
Privacy	879SN	SN
Passage	880SN	SN
Dummy	881SN	SN



#### Cirque Knob Set

- 50mm brushed stainless steel alloy
- Comes with 60 and 70mm cylindrical latch

Entrance	870SS	SS
Privacy	871SS	SS
Passage	872SS	SS
Dummy	873SS	SS





#### Retrofit Knob

- Replacement knob and spindle (non-sprung)
- Heavy duty
- 7.6mm spindle
- Furniture only set, no latch supplied
- 2 x Knobs
- Face fixed





# **Mortice Lock and Rebate Kits**



#### **Euro Mortice Lock**

- Stainless steel faceplate
- 85mm centre spindle to centre keyway

45mm Backset	716SS45	SS
60mm Backset	716SS60	SS



#### **Euro Mortice Lock/ Privacy Lock**

- Mortice lock with double throw bolt
- 48mm centre to centre
- Reversible latch
- 8mm handle spindle / 5mm privacy turn spindle
- 45mm backset 65mm (case depth)
- 60mm backset 80mm (case depth)
- 60mm backset privacy 80mm (case depth)

45mm Backset	453ML45SG	SG
60mm Backset	453ML60SG	SG
Privacy mortice Lock	453PMLSG	SG





#### Rebate Kit

- Stainless steel
- Suits 760SS Mortice Lock

SS 720SS



#### **5 Lever Mortice Lock**

• 58mm Backset

5 Lever Key Blank 716KB5 **Rebate Kit for 716SN765** 716SN12





#### Rebate kit (12.5mm)

• For standard tubular latch (24.5mm hole)





#### **3 Lever Mortice Locks**

- 2 keys supplied
- 54mm centre spindle to top of keyway

- 54mm cernic spinale to top of keyway		
48mm Backset Case depth 64mm/ Case height 103mm	716SSN663	SN
58mm Backset Case depth 77mm/ Case height 103mm	716SSN763	SN



#### Rebate Kit

• Suits 453 Euro mortice lock range

453RKSG



#### 3 Lever Key Blanks

Use with 716SSN763 &	716KKB3L	SN
716SSN663		
Use with		
716SSN763 &	716KKB3R	SN
716SSN663		

# **Tubular Latch/Bolts** and Privacy Turns



#### **Tubular Latch**

- 60 / 70mm adjustable latch
- 8mm spindle
- Includes dust box and strike
- Can be used for S Range lever sets

451LSG	SG
S60/70	sc
S60/70BLK	MB





#### **Tubular Privacy Bolt**


- 60mm backset
- 5mm spindle
- Use with MIL300 / MIL305 and 452 roses (square and round see below)

MIL320	SN
452PBSG	SG
452PBBLK	MB



#### **Tubular Latch**

- 60 or 70mm backset
- 8mm spindle
- Recessed box shield included
- Can be used for Milano lever sets











#### Privacy Turn & Escape

- Projection 10mm
- Rose Diameter 55mm
- Square 55 x 55mm
- Use with MIL320 / 452PBSG and 452PBBLK Tubular Privacy Bolts (see above)

Round Rose	MIL300	SN
	452RPTSG	SG
	452RPTBLK	MB
Square Rose	MIL305	SN
	452SPTSG	SG
	452SPTBLK	MB












#### **Double Turn**

- · Projection 10mm
- Rose Diameter 55mm
- Square 55 x 55mm
- Includes tubular latch

See page 20 for Pull Handle Lock Kit







(Square latch pictured)


#### Latch Turn Kits

- Double turns and tubular latch
- Can work with pull handle and deadbolt to latch door shut
- 60mm backset

Square	719SSN	SN
	719SSG	SG
	719SBLK	MB
Round	719RSN	SN
	719RSG	SG
	719RBLK	MB



# Cavity Sliders and Flush Pulls



### Cavity Sliders

Sliding doors and movable walls offer a sleek, functional solution to maximise the use of available space. The cavity slider and flush pull range is ideal for use on doors, wardrobes, cupboards or movable walls and is available in a range of functions, styles, finishes and sizes.



#### Round Cavity Slider Dummy Set

- Suitable for doors 35mm-45mm thick
- 54mm fitting hole
- 65mm overall diameter
- Non-locking
- · Fixings supplied

538SC	sc
538SG	SG
538BLK	MB



#### Square Cavity Slider Dummy Set

- Suitable for doors 35mm-45mm thick
- 54mm fitting hole
- 65mmW x 65mmH
- Non-locking
- Fixings supplied

543SC	sc
543SG 543BLK	SG
	MB



#### Round Cavity Slider Passage Set

- Suitable for doors 35mm-45mm thick
- 54mm fitting hole
- 65mm overall diameter
- Non-locking
- Fixings supplied







#### Square Cavity Slider Passage Set

- Suitable for doors 35mm-45mm thick
- 54mm fitting hole
- 65mmW x 65mmH
- Non-locking
- · Fixings supplied

542SC	SC
542SN	SN
542SG	SG
542BLK	MB



#### Round Cavity Slider Privacy Set

- Suitable for doors 35mm-45mm thick
- 54mm fitting hole
- 65mm overall diameter
- Locking
- Fixings supplied





#### Square Cavity Slider Privacy Set

- Suitable for doors 35mm-45mm thick
- 54mm fitting hole
- 65mmW x 65mmH
- Locking
- Fixings supplied





## Rectangular Sliding Cavity Door Lock (Privacy)

- Lock or unlock with the turn-button from the inside, emergency release from the outside
- Size: 70mmH x 64mmW
- Suits door thickness: 32-36mm
- Fixings supplied





## R YEAR

**WARRANTY** 

#### Rectangular Sliding Cavity Set (Passage)

- Non-locking for general passage operation
- Size: 70mmH x 64mmW
- Suits door thickness: 32-36mm
- Fixings supplied

Passage 747SC sc



**YEAR** 

### **Flush Pulls**

Flush pulls are available in a range of shapes and sizes to suit various applications. The range includes oval, round edge and square kits available in non-locking or locking sets for complete



#### **Round Locking Flush Pull** Kit for Sliding Doors

- Complete privacy sliding door solution
- Through door fixing, fixings supplied
- 35mm backset
- Suits door thickness: 35-38mm
- Door pull: 160mmH x 40mmW
- Finger pull: 30mm





TURN KNOB PROTRUDES 5MM BOTH SIDES - USE CODE 746SC FOR FULLY RECESSING DOORS



#### Rectangle Locking Flush **Pull Kit for Sliding Doors**

- Complete privacy sliding door solution
- Through door fixing, fixings supplied
- 35mm backset

**YEAR** 

- Suits door thickness: 35-38mm
- Door pull: 160mmH x 45mmW
- Finger pull: 26mmH x 26mmW







#### Rectangle Edge Flush Pull Kit

- Complete cavity slider handle solution
- Concealed fixing, fixings supplied
- Includes square end finger pull (Zinc)
- Finger pull flange: 25mm (Outer) x 18mm (Inner)
- Door pull: 100mmH x 50mmW x 10mmD
- Kit includes 2 x door pulls and 1 x finger pull





#### Oval Round Edge Flush Pull Kit

- Complete cavity slider handle solution
- · Concealed fixing, fixings supplied
- Includes end finger pull (zinc)
- Finger pull flange: 30mm (Outer) x 26mm (Inner) x 10mmD
- Flush pull: 120mmH x 40mmW x 11mmD
- Kit includes 2 x door pulls and 1 x finger pull







#### Square Flush Finger Pull

- For cavity door edges and cupboard doors
- To be glued into the same size diameter hole
- Flange: 25mm (Outer) x 16mm (Inner) x 18mmD

748SC26	SC
748SS26	SS
748PB26	MB
748SG26	SG





#### Round Flush Finger Pull

- For cavity door edges and cupboard doors
- To be glued into the same size diameter hole
- 10mm depth
- Concealed fixing

Size 30mm Inner circle 26mm	744PB30	MB
	744SC30	sc
Size 40mm Inner circle 35mm	744SC40	sc
Size 50mm Inner circle 40mm	744SC50	sc



## **Flush Pulls**



#### **Round Flush Finger Pull**

- To be glued into the same size diameter hole
- · Concealed fixing
- 70mm cut out size

Flange 90mm 745SS90 SS
Diameter 72mm
Depth 19mm





#### Rectangular Flush Pull

- Brushed stainless steel
- Two sizes available
- · Concealed fixing
- · Fixings supplied








#### Flush Pull

• Fixings supplied







#### Flush Pull

- Face fix
- Fixings supplied

Size 140mm (H) x 33mm (W) x 106SC140 CP 106CP140 CP 106GD140 BG





#### Square Edge Flush Pull

- Made from stainless steel SS304
- Size 102mmH x 52mmW x 10mmD
- Sold separately



304 QUALITY STAINLESS STEEL



#### Oval Edge Flush Pull

- Made from stainless steel SS304
- Size 120mmH x 40mmW x 10mmD
- Sold separately

Face fixed	712SS	SS
Concealed fix	732SS	SS
	732PB	MB
EN.	732SSB	SS
TRADE	732PBB	MB

304 QUALITY STAINLESS STEEL

## **Flush Pulls**





- Made from Aluminium
- Supplied with 2 x machine screws and 2 x wood screws

<ul> <li>Sold separately</li> </ul>		
Size: 42x126x16mm,	772SC	SC
	772SN	SN
Centre to centre: 96mm	772BLK	MB
	772SG	SG
Size: 42x126x16mm, Centre to centre: 96mm	772SCB	sc
Control of Control your	772SNB	SN
TRADE	772BLKB	MB
	772SGB	SG
	773SC	SC
Size: 42x158x16mm,	773SN	SN
Centre to centre: 128mm	773BLK	MB
	773SG	SG
Size: 42x158x16mm, Centre to centre: 128mm	773SCB	SC
Centre to Centre. 128mm	773SNB	SN
TRADE	773BLKB	MB
PACK	773SGB	SG
Size: 42x190x16mm,	774SN	SN
Centre to centre: 160mm	774SG	SG
Size: 42x190x16mm	774SNB	SN
TRADE	774SGB	SG
Size: 42x254x16mm,	775SN	SN
Centre to centre: 224mm	775SG	SG
Size: 42x254x16mm	775SNB	SN



#### Finger Pull with Stainless Steel Hook

- Made from stainless steel SS304
- Supplied with 2 x wood screws







#### Finger Pull Rectangle

- Made from stainless steel SS304
- Concealed fix

90mm x 26mm 738SS





#### **Door Magnet**

- Size: 22 x 6mm
- Countersunk fixings supplied
- N42 magnet strength

1 pair	332CP	СР
1 pair	332BLK	MB
6 pairs	332/6CP	CP
1 pair magnet with cups	332MWC	<b>CP</b>

775SNB 775SGB

## **Door Stops**

Our comprehensive range of door stops includes latching, magnetic or door holding options which are available in wall, floor or centre door mounting versions. There are also heavy duty latching door stops that are suitable for securing external doors. When selecting a door stop, consider the location, size and weight of the door. The area of the house it will be used in, and whether the door needs to be fastened back for safety or convenience. The finish of the door stop should ideally match the door hardware.

Additional considerations are the depth of the door handle, the thickness of the skirting board and the height of the carpet when choosing the correct length of door stop for your project.



## Wall Mounts





#### Square Base and Tip Wall Mount

- Made from aluminium
- · Concealed fixing
- Fixings supplied

Length 110mm Base size 32mm	402SC110A	sc
Length 85mm Base size 32mm	402SC85A	sc
	402PB85A	MB





### Stainless Steel Rectangular Wall Mount

- Concealed fixing
- Fixings supplied



INTERIOR/ EXTERIOR

Length 70mm Base size 25mm

601SS



Length 100mm Base size 25mm

601SS100





#### Square Base and Tapered Tip Wall Mount

- Brushed stainless steel finish
- Concealed fixing

Length 80mm
Base size 25mm

402SS

SS

INTERIOR/



#### Square Base Round Tip Wall Mount

- Brushed satin chrome finish
- Fixings supplied

 Length 85mm
 231SC
 SC

 Base size 40mm
 231SC100
 SC



#### Square with Round Tip Wall Mount

- Brushed satin chrome finish
- Concealed single point fixing

Length 80mm Base size 20mm	232SC	sc
Length 95mm Base size 20mm	232SC100	sc



#### Classic Round Tapered Wall Mount

- Supplied with black and white tips
- Concealed fixing
- · Fixings supplied

Length 80mm Base size 30mm	400SC (on brass)	sc
	400SS (stainless steel)	SS
5 Pack	400SC5PK	sc
SO	400SCB	sc
TRADE	400SSB	SS



#### Classic Round Tapered Wall Mount

- · Concealed fixing
- Fixings supplied

Length 80mm Base size 30mm	403SC (on zinc)	sc
	403BR	PB
	403SN (on zinc)	SN
	403SG	SG
TRADE	403SCB	sc





#### Round Base with Straight Edge Round Tip Wall Mount

- Made from aluminium
- Concealed fixing
- Fixings supplied

Length 85mm Base size 32mm	404SN	SN
2000 0:20 02:	202DS85A	SA
	202DS85APB	MB
	202SG85A	SG
200	404SNB	SN
TRADE	202DS85AB	SA
Length 30mm Base size 32mm	202DS30AB	SA
ভাগ		

## Wall and Floor Mounts



#### Contemporary Solid Square Floor Mount

- Made from zinc diecast
- Concealed fixing
- Dynabolt supplied for concrete floors
- Fixings supplied





#### Contemporary Solid Round Floor Mount

- Made from zinc diecast
- · Concealed fixing
- Dynabolt supplied for concrete floors
- Fixings supplied

Height 40mm Base size 40mm

801SN













#### Round Base Rounded Tip Wall Mount

- Made from forged brass
- Rubber tip
- Fixings supplied

Length 90mm Base size 43mm	204SC	sc
	204SG	SG
	204SN	SN
	204BR	BR
TRADE	204SCB	sc

## Round Base Rounded Tip Wall Mount

- Made from aluminium
- Fixings supplied

Length 85mm Base size 38mm	203SC	sc
	203PB	MB
TRADE	203SCB	sc

## Square with Square Tip Wall Mount


- Made from aluminium
- White and black tips supplied
- Fixings supplied

Length: 75mm	806SC	sc
	806SN	SN
	806SG	SG
	806PB	MB
TRADE	806SNB	SN
TRADE	806SGB	SG



#### Round with Straight Edge Round Tip Wall Mount

- Made from aluminium
- · White and black tips supplied
- Fixings supplied







#### Door Stop Wall Mount

- Made from zinc diecast
- 3 screw face fixed
- Fixings supplied

Length 75mm Base size 37mm	701SC	sc
	701BR	BR





S YEAR WARRANTY

#### Door Holder Wall Mount

- Made from zinc diecast
- 3 screw face fixed
- Fixings supplied

Length 75mm Base size 40mm	703SC	sc
	703BR	BR

## **Wall and Floor Mounts**



#### Contemporary Triangular **Base Floor Mount**

- · Made from zinc diecast
- Fixings supplied

Overall height 48mm Base size 60 x 50mm

TRADE PACK

98725SC





98725SCB





#### Contemporary Rectangular **Base Floor Mount**

- Made from zinc diecast
- Concealed fixing
- · Fixings supplied

Length 25mm Base size 45mm

206SC









#### Square Door Stop Floor Mount

- Made from stainless steel
- Fixings supplied

Height 35mm Base size 45 x 30mm

602SS





#### **Door Stop Floor Mount**

- Aluminium doorstop, zinc diecast base
- 2 screw fix
- · Fixings supplied

Length 44mm Base size 40mm

220SC





#### **Door Stop Floor Mount**

- Made from zinc diecast
- Cushioned rubber stop
- Fixings supplied

Length 45mm Base size 48 x 28mm

212SCF





#### **Door Stop Wall Mount**

- Made from zinc diecast
- Hold back function
- Fixings supplied

Length 90mm Base size 48 x 28mm

212SCW







#### **Door Stop Floor Mount**

- Made from stainless steel 304
- · Fixings supplied

Lenath 27mm Base size 46mm

724SS





QUALITY STAINLESS STEEL

#### **Door Stop Floor Mount**

- Made from stainless steel 304
- Concealed fixing
- · Fixings supplied

Length 40mm Base size 42mm

726SS







#### Latch Back



- Made from brass
- Secure latch back function
- · Fixings supplied

Length 65mm Base size 60 x38mm 277SC



## Exterior Use Self Latching Door Stops



#### Mantis Latching Door Stop Floor Mount

- Made from forged brass
- Latch height 125mmH Base size 42mmW x 55mmL
- Keeper plate 40 x 40mm
- Self latching with foot release
- · Fixings supplied





#### Heavy Duty Latch Back Floor Mount Door Stop

- Made from forged brass
- Heavy duty suitable for commercial use
- Latch height 90mm (145mm for 608SC150) Base size 46mmW x 70mmL
- Keeper plate 40mmW x 64mmL
- Self latching with foot release

608SC		SC
608PB		MB
608SC150 (extra high)		sc
20	608SCB	sc
TRADE	608SC150B	sc









#### Mantis Latching Door Stop Wall Mount

- Made from forged brass
- Latch base size: 40 x 60mm
- · Self latching with foot release
- Keeper plate 40 x 40mm
- Attached length base to base: 80mm
- Fixings supplied





**DESIGNED BY** 

Latch length 80mm
 Base size 50 x 28mm

WARRANTY

- Catch 38 x 20mm
- Suitable for left or right opening doors
- Self latching
- Fixings supplied

700SC SC








#### Heavy Duty Latch Back Wall Mount Door Stop 60mm

- Made from forged brass
- Heavy duty suitable for commercial use
- Latch base size: 70 x 46mm
- Keeper plate 40mmW x 64mmL
- Self latching
- Fixings supplied





#### **Pedestal Door Holder**

- Made from aluminium satin chrome anodised
- Height 280mm
- Upstand 50 x 50mm
- Base 90mm x 90mm

Pedestal including 277SC Auto Latch back	618SC	SC
Pedestal including 600SC Manual Latch back	619SC	SC
Pedestal including 600PB Manual Latch back	619PB	MB

## Door Stops, Hooks and Magnetic Door Stops

INTERIOR/ EXTERIOR USAGE





#### Square Base Latching Door Stop Wall Mount

- Powder coated
- Square base with 4 screw fixings
- Swivelling latch
- Fixings supplied







#### Round Base Latching Door Stop Wall Mount

- · Powder coated
- Swivelling latch
- · Fixings supplied





Length 80mm Base size 45mm	600SC	SC
	600SC2PK	SC
	600PW	PW
	600PB	MB
	600RM	RW
TRADE	600SCB	sc
	600PBB	MB



#### Spring Cushioned Magnetic Door Stop Floor or Wall Mount

- Magnet catch: 50mm diameter x 10mm
- Sprung striker
- Concealed fixing
- Fixings supplied

Length 75mm Base size 50mm

705SC





#### Door Stop and Hook

- Made from zinc diecast
- Black tip
- Fixings supplied

Length 90mm Base size 40mm

702SC









#### Door Stop and Hook

- Centre door fix
- Concealed fixing
- Fixings supplied

Length 95mm Base size 50mm

604SS







#### **Door Stop and Hook**

- Stainless door stop with coat hook pin
- Door must be minimum 20mm thick
- Short length 50mm for partitioned doors
- Fixing supplied

223SS





#### Spring Cushioned Magnetic Door Stop Floor or Wall Mount

- Made from zinc diecast
- Magnet catch: 30mm diameter x 15mm high
- · Concealed fixing
- Fixings supplied

Length 80mm Base size 42mm

714SN





#### Mag Door Stop Wall / Floor

- Made from zinc diecast
- For internal use only
- Fixings and dynabolt supplied

Length 80mm Base size 45mm

603SC





#### Magnetic Door Holder

- Satin nickel finish
- Adjustable length 80-95mm
- Concealed fixings
- Fixings supplied

808SN SI 808SC SG

### **Door Stops**



## Overhead Door Stop with White Rubber

- Stainless steel finish
- Made from stainless steel, SS304
- Supplied with 4 x wood screws
- Left or right hand options available

Length 160mm	763SSL	SS
	763SSR	SS



#### One Piece Auto Door Holder

- · Stainless steel finish
- Suitable for doors with door closers: foot operated
- Uses the weight of the door to hold open





#### Cushioned Door Stop Wall Mount

- Plastic cushion type
- Concealed fixing
- Fixings supplied

Length 35mm Base size 75mm	605PWB	PW
	605PW	PW



#### Round with Surround Buffer Floor Mount

- Made from stainless steel
- Suits concrete and timber floors
- Supplied with 8mm dynabolt

Height 40mm	201FS40SS	SS
Height 65mm	201FS65SS	SS



#### Round with Surround Buffer Floor Mount

- Made from aluminium
- Suits concrete and timber floors
- Supplied with 6mm dynabolt, masonry anchor and timber fix screw

Height 40mm Base size 38mm		207SC2	2 piece	sc
		207PB	2 piece	MB
37	TRADE	207SC2B	2 piece	SC



#### Round with Surround Buffer Floor Mount

- Made from aluminium
- Suits concrete and timber floors
- Supplied with m8 Hanger bolt





#### Hold Back Door Stop Straight

- Easy installation
- Includes white and black clips
- Affordable latch back option
- Stops doors slamming





#### Hold Back Door Stop Tapered

- Easy installation
- Includes white and black clips
- Affordable latch back option
- Stops doors slamming

239SN SN

## Hinges

The Miles Nelson hinge range includes a variety of finishes, sizes and profiles to suit any project from DIY through to commercial applications.

A range of materials and finishes are available for use in internal and external applications, including 316 marine grade stainless steel for coastal areas, satin nickel, satin chrome and contemporary matt black.



## Hinges













DURABLE ELECTRO PLATED FINISH

- Radius edge
- Made from steel
- Loose pin
- Size: 90mmH x 60mmW x 2mmD

520SCH9060	(Excludes screws)	sc
520PBH9060	(Includes screws)	MB
520SNH9060	(Excludes screws)	SN
520SGH9060R	(Includes screws)	SG



- Radius edge
- Made from 304 grade stainless steel
- Satin finish
- Fixed pin
- Size: 90mmH x 60mmW x 2mmD
- Excludes screws









- Radius edge
- Made from 304 grade stainless steel
- Satin finish Fixed pin
- Ball bearing hinge
- Size: 100mmH x 75mmW x 2.5mmD

SS

• Excludes screws

520SSH10075R

INTERIOR/
EXTERIOR
USAGE



## Hinges









- Square edge
- Made from 304 and 316 grade stainless steel
- Satin finish
- Fixed pin
- Ball bearing hinge
- Size: 75mmH x 50mmW x 2mmD
- Excludes screws

304 grade stainless steel	520SSH7550304S	SS
316 grade stainless steel	520SSH7550316S	SS







- Square edge
- Made from 304 grade stainless steel
- Satin finish
- Fixed pin
- Ball bearing hinge
- Size: 100mmH x 100mmW x 2.5mmD
- Excludes screws

520SSH100100





- Square edge
- Made from 304 grade stainless steel
- Satin finish
- Fixed pin
- Ball bearing hinge
- Size: 100mmH x 75mmW x 2.5mmD
- Excludes screws

520SSH10075304S









- Square edge
- Made from 304 grade stainless steel
- Satin finish
- Fast fix flush
- Fixed pin
- Sinter bearing hinge
- Size: 100mmH x 70mmW x 2.5mmD
- Excludes screws

981071FFBSS















- Square edge
- Size: 90mmH x 60mmW x 2.5mmD
- Fixings supplied

520SS9060 (Excludes screws)







## Gate Hardware Range

All products on this page are Zinc Plated

Z ZINC PLATEI



















#### **Gate Latch**

- Easy to install gate latch
- Includes self-drill screws
- Hang sell packaging

284ZPGL

#### **Padbolt**

- Easy to install padbolt
- Includes self-drill screws
- · Hang sell packaging

100mm	283ZPPB100
150mm	283ZPPB150

#### Hasp and Staple Safety

- Durable hasp and staple to secure toolboxes and chests
- Hang sell packaging
- Fixings included

115mm	286ZPHSS115
150mm	286ZPHSS150















#### Strap Hinge (Pair)

- Sturdy strap hinge ideal for outdoor use with an easy to install design
- Hang sell packaging
- Fixings included

100mm	520ZPSH100
150mm	520ZPSH150

#### T Hinge (Pair)

- Sturdy 'T' hinge ideal for outdoor use with an easy to install design
- Hang sell packaging
- Fixings included

150mm	520ZPTH150
200mm	520ZPTH200

#### **Spring Coil Gate**

- Sturdy self-closing spring coil for gates
- Hang sell packaging
- Fixings included

300mm	285ZPSCG300

# Door Fittings and Flush Bolts

Providing you peace of mind with a range of high quality, flush bolts and door fittings. You will find additional security products for aluminium and timber windows and doors in the safety and security section.



## Door Fittings and Dust Sockets



#### Safety Chain - Steel

- Designed to be strong, secure and easy to use
- · DIY friendly installation
- Fixings supplied





#### **Door Guard**

- Simple flip open and close operation
- Fixings supplied







#### **Door Viewer**

- 200 degree viewing angle
- Suits door thickness: up to 60mm
- 20mm diameter











#### **Door Magnet**

- Countersunk fixings supplied
- N42 magnet strength

Size:	1 pair	332CP	СР
ZZ X OIIIII	1 pair	332BLK	MB
	6 pairs	332/6CP	СР
Size: 24 x 8mm	1 pair magnet with cups	332MWC	СР

#### **Dust Socket**

- Made from solid brass
- For use with flush bolts, socket bolts, neck bolts and patio bolts (up to 12mm thick bolt)
- Concrete and timber fix
- Length: 47mm Flange diameter: 43mm Socket diameter: 21mm



SUITS: 711, 215, 216 AND 305 SERIES FLUSH BOLTS



#### **Dust Socket**

- Made from solid brass
- For use with flush bolts, socket bolts, neck bolts and patio bolts (up to 12mm thick bolt)
- Concrete and timber fix
- Length: 40mm Diameter: 19mm
- Fits 12mm diameter bolts



### **Indicator Bolts**



#### **Indicator Bolt**

- · Made from zinc diecast
- Suitable for timber and metal doors
- Suit doors 28-45mm thick
- Surface mounted
- Screws supplied





#### **Indicator Bolt**

- Made from 304 grade stainless steel
- Suitable for timber and metal doors
- Suit doors 28-45mm thick
- · Surface mounted
- Screws supplied







#### **Indicator Hook**

- Stainless indicator hook
- Suits 28-50mm thick
- Surface mounted with 6 fixing points to choose
- 6mm square spindle
- Suit sliding and hinged doors

790SS SS



#### Roller Catch Ball

- Plastic diecast steel and brass
- 23 x 55mm
- Finish indicates striker colour
- Adjustable brass roller
- Fixings supplied





#### **Roller Catch Double**

Made from zinc diecast

334ZCB TRADE



#### **Door Stop and Hook**

- Stainless door stop with coat hook pin
- Short length 50mm for partitioned doors
- Door must be minimum 20mm thick
- Fixing supplied

223SS **SS** 

### **Flush Bolts**





DESIGNED BY MILES NELSON

#### Flush Straight Bolt

- Made from solid brass, one piece extrusion
- · Forged straight bolt
- Suitable for bi fold, sliding and hinged doors
- Length 100mm, Bolt 8mm, Throw 36mm
- Length 150mm, Bolt 10mm, Throw 25mm
- Positive locating
- Fixings supplied

215SC08100	sc
215BR08100	РВ
215SN08100	SN
215SC10150	sc
215BR10150	PB
215SN10150	SN
215PB10150	MB



#### Flush Necked Bolt

- Made from solid brass, one piece extrusion
- Forged neck bolt for superior strength
- Suitable for bi fold, sliding and hinged doors
- Length 100mm, Bolt 8mm, Throw 20mm, Offset 6mm
- Length 150mm, Bolt 10mm, Throw 25mm, Offset 11mm
- Fixings supplied

216SC08100	SC
216BR08100	РВ
216SN08100	SN
216SC10150	SC
216BR10150	РВ
216SN10150	SN



DESIGNED BY MILES NELSON



#### Flush Necked Bolt 150mm

- Made from solid brass
- Available in standard non-locking or key locking function
- Length 150mm, Bolt 9mm, Throw 30mm
- Keyed alike available on request

Non-locking	405SC150	SC
	405SG150	SG
Locking	405SCL150	sc
	405SGL150	SG



DESIGNED BY



#### Flush Straight Bolt 150mm

- Made from solid brass
- Available in standard non-locking or key locking function
- Length 150mm, Bolt 9mm, Throw 30mm
- Keyed alike available on request

Non-locking	505SC150	sc
	505SG150	SG
Locking	505SCL150	sc
	505SGL150	SG



DESIGNED BY

## **Flush Lever Bolts**





#### Flush Lever Bolt

- Made from forged solid brass
- Lever action
- Heavy duty
- Size 150mm x 25mm, Throw 18mm, Rod 12mm
- Fixings supplied










## Premium Range: Socket Bolts, Necked Bolts and Cabin Hooks

The below bolts and hooks are manufactured from closed forged seamless brass for superior strength and finish.



## Socket Bolts, Necked Bolts and Cabin Hooks

#### Made from brass.









#### **Socket Bolts**

- Made from brass with an 8mm or 10mm rod
- Fixings supplied

35mm	462BR0835	BR
	462CP0835	CP
	462FB0835	FB
	462SC0835	sc
50mm	462BR0850	BR
	462CP0850	CP
	462FB0850	FB
	462SC0850	SC
75mm	462BR0875	BR
	462CP0875	СР
	462FB0875	FB
	462SC0875	sc
100mm	462BR08100	BR
	462CP08100	CP
	462FB08100	FB
	462SC08100	sc
150mm	462BR10150	BR
	462CP10150	СР
	462FB10150	FB
	462SC10150	sc




To order separate staple only: 262\*\*08S; 262\*\*10S. S=Staple.

#### **Necked Bolts**

- Made from brass with an 8mm or 10mm rod
- Fixings supplied

60mm	469BR0860	BR
	469CP0860	CP
	469FB0860	FB
	469SC0860	sc
75mm	469BR0875	BR
	469CP0875	CP
	469FB0875	FB
	469SC0875	sc
100mm	469BR08100	BR
	469CP08100	CP
	469FB08100	FB
	469SC08100	sc
150mm	469BR10150	BR
	469CP10150	CP
	469FB10150	FB
	469SC10150	sc



#### **Cabin Hooks**

- Made from brass with an 8mm rod
- Fixings supplied

70mm	476BR0870BP	BR
	476CP0870BP	СР
	476FB0870BP	FB
	476SC0870BP	sc
80mm	476BR0880BP	BR
	476CP0880BP	СР
	476FB0880BP	FB
	476SC0880BP	sc
90mm	476BR0890BP	BR
	476CP0890BP	CP
	476FB0890BP	FB
	476SC0890BP	sc

## Hooks




## Hooks



#### Hat & Coat Hook

- Made from aluminium
- · Fixings supplied





#### Hat & Coat Hook

- · Made from zinc diecast
- Fixings supplied

102SC	sc
102CP	CP
102FB	FB
102PW	PW
102GD	GD



#### Robe hook



- Chrome on brass
- · Concealed fixing
- Fixings supplied





#### **Door Stop and Hook**

- Length 90mm Base size 40mm
- Fixings supplied







#### Door Stop and Hook

- Stainless steel door stop with coat hook pin
- Door must be minimum 20mm thick
- Short length 50mm for partitioned doors
- Fixing supplied







#### **Door Stop And Hook**

- Length 95mm Base size 50mm
- Centre door fix
- Concealed fixing
- Fixings supplied





#### Wardrobe Hook

- Zinc diecast
- Fixings supplied

103SC	sc
103CP	СР
103FB	FB
103PW	PW
102GD	GD



#### Wardrobe Hook

- Made from aluminium
- Fixings supplied

274SC	SC
274CP	СР
274FB	FB

# Cabinet Hardware and Handles



## **Cabinet Hardware** and Handles



#### Wardrobe/Cupboard Handle

- Overall size 226mm
- Size CC 192mm
- Projection 27mm
- Supplied with 38mm and 22mm screws

0651BN3061XXL	SN
0651SC3061XXL	sc
0651BLK3061XXL	MB



#### **General Purpose Handle**

- · Made from zinc diecast
- Fixings supplied

	088CP114	СР
114mm	088FB114	FB
	088SC114	SC
	088CP150	СР
150mm	088FB150	FB
	088SC150	sc



#### **Cupboard Catch**

- · Made from zinc diecast
- Fixings supplied





#### Concave Knob 38mm

- Made from zinc diecast
- 17mm base
- 38mm diameter
- · Fixings supplied

CP 065CP38





#### **Double Ball Catch**

- Made from solid brass
- Adjustable tension
- Fixings supplied

50mm	708BR50	РВ
60mm	708BR60	РВ

#### D Handle

- Made from solid brass
- 30mm projection
- Fixings supplied





One of New Zealand's leading suppliers of bannister and handrail brackets, Miles Nelson offers a wide range in zinc, brass and stainless steel for domestic and commercial installations. The range also features the Lumos® LED Handrail Brackets, designed for interior or exterior home or commercial ambient, night or safety lighting in stairways, walkways and entrance ways. The revolutionary Lumos® LED bannister bracket seamlessly blends function and design by providing lighting within the bracket body.



## Lumos® Bannister Brackets

The revolutionary Lumos® LED bannister bracket seamlessly blends function and design by providing lighting within a bannister or railing bracket body.

This development simplifies the installation of safety or railing illumination into one stylish bracket.

The brackets use low energy consumption LED bulbs with a life of approximately 12 years under continuous use. The light does not produce heat and is therefore safe to touch. Recommended

bracket spacing is 900mm, as light coverage area at maximum height is 900mm. One transformer can power up to 16 brackets containing LEDs.

Requires the use of a Miles Nelson regulated power transformer, supplied separately. Complies with BIA acceptable solution D1/AS1. Can also be used with photosensitive sensors for night lighting.

Lumos Brackets are designed and manufactured in New Zealand.



- 12 volt LED downlight
- Very low power consumption
- Cool running
- Adapter for flat profile rails
- Concealed fixing
- Fixings supplied

Indoor use	610SCBP	sc
Powder coated finish for outdoor use	610SCEBP	sc
Lumos bulb spare part	610LED	SC
Indoor use (without light)	611SCBP	SC
(William light)	611CP	СР
Powder coated finish for outdoor use (without light)	611SCBP	sc

DESIGNED BY MILES NELSON






#### **Specifications Diagram**

• Base: 70mmH x 50mmW x 52mmD Wall projection: 70mm

Wall projection: 70mm
Upstand height: 80mm
Overall height: 115mm



#### **Lumos® Transformer**

- 12 volt
- Each transformer can power 16 lights
- Tested to AS/NZS3108 at 25°C

612PA





- · Made from zinc diecast
- Complies with BIA acceptable solution D1/AS1
- Suits square and round rails
- Includes flat rail adapter
- Base: 58 x 58mm Wall projection: 75mm Upstand height: 75mm
- · Concealed fixing
- · Fixings supplied





**DESIGNED BY MILES NELSON** 



- · Made from zinc diecast
- Suits square and round rails
- Includes flat rail adapter
- Concealed fixing
- · Fixings supplied
- Base: 55 x 45mm Wall projection: 75mm Upstand height: 65mm



**MILES NELSON** 



- · Made from zinc diecast
- Complies with BIA acceptable solution D1/AS1
- Tested to 300kg static load
- Suits square and round rails
- Includes flat rail adapter
- Concealed fixing
- Fixings supplied
- Base diameter: 58mm Wall projection: 75mm Upstand height: 75mm





- · Made from zinc diecast
- Suits square and round rails
- · Includes flat rail adapter
- Includes flat rail adapter
- Base diameter: 58mm Upstand height: 80mm
- · Concealed fixing
- Fixings supplied





DESIGNED BY MILES NELSON



- Made from zinc diecast
- Suits square and round rails
- Base: 58 x 58mm Upstand height: 80mm
- Includes flat rail adapter
- · Concealed fixing
- · Fixings supplied

S YEAR WARRANTY	DESIGNED BY MILES NELSON	
313SC	SC	



Glass fixing bracket\*

- Polished 316 marine-grade stainless steel
- Suitable for exterior use
- Concealed fixing
- Fixings supplied
- Removable saddle
- Base diameter: 55mm Wall projection: 78mm Upstand height: 75mm

Tested to 820kg static load Test Certificate No.: INZ70574-01

810SSWB1 316 marine-grade stainless steel SS
810SSGFK Glass fixing kit SS
\*8mm through fixing (14mm minimum hole size)









- Concealed fixing
- Includes flat rail adapter
- · Fixings supplied
- Base diameter: 55mm Wall projection: 78mm Upstand height: 60mm

Tested to 409kg static load Test Certificate No.: INZ70574-01












- Concealed fixing
- Includes flat rail adapter
- Supplied with hanger bolt
- Base: 30mm
   Wall projection: 70mm
   Upstand height: 60mm
- · Fixings supplied

DESIGNED BY MILES NELSON









- Made from 304 solid Stainless Steel
- Flat handrail adaptor available separately
- Base diameter: 55mm
   Wall projection: 74mm
   Upstand height: 51mm
- Concealed fixing
- · Fixings supplied









- Made from 316 grade stainless steel
- Suits commercial applications
- Suitable for exterior use
- Includes flat rail adapter
- Base: 65mm Wall projection: 78mm Upstand height: 75.5mm
- Concealed fixing
- Fixings supplied

621SS







- 304 grade stainless steel satin finish
- Suitable for exterior use
- Base: 60mm
   Wall projection: 75mm
   Upstand height: 70mm
- Fixings supplied









- 304 grade stainless steel satin finish
- Galvanised steel inner base plate
- Includes flat rail adapter
- Base: 50mm Wall projection: 85mm Upstand height: 55mm
- Fixings supplied









- Made from 316 grade stainless steel
- Suits commercial applications
- Suitable for exterior use
- Base: 65mmWall projection: 78mmUpstand height: 75.5mm
- Concealed fixing

620SS







- Made from cast aluminium
- Powder coated
- Suitable for exterior use
- Base: 55mm
   Wall projection: 75mm
   Upstand height: 45mm
- Fixings supplied









- Made from zinc diecast
- Base: 45 x 50mm Wall projection: 60mm Upstand height: 75mm
- Fixings supplied

110SC	SC
110CP	СР
110FB	FB
110PW	PW





- Made from solid brass
- Suits square and round rails
- Base diameter: 50mm Wall projection: 80mm Upstand height: 50mm
- Concealed single point fixing
- Fixings supplied includes hanger bolt
- Anchor fix









- Made from solid brass
- Suits square and round rails
- Fixings supplied
- Base diameter: 50mm Upstand height: 55mm

511SC SC



EXTERIOR USAGE





- Made from solid brass
- Suits square and round rails
- Base diameter: 57mm Wall projection: 75mm Upstand height: 60mm
- Concealed fixing
- Fixings supplied






## Window Fittings

An extensive range of quality fittings available in a wide range of finishes designed to upgrade or replace hardware on a variety of window types.



## **Window Fittings**





- For side hinged / casement windows
- · Suitable for sealed windows
- · Fixings supplied







Locking Set Codes:

463SCL, 463CPL, 463BRL, 463FBL, 463SNL

Packer Codes: 464CP, 464SC, 464BR, 464SN






• Made from solid brass



- For use on side-hinged / casement and top-hinged / awning windows
- Suitable for sealed windows
- · Fixings supplied






#### Fanlight Stay - Zinc

- Zinc alloy components with brass rod
- For use on side-hinged / casement and top-hinged / awning windows
- Suitable for sealed windows
- Fixings supplied





Pins: 465CPP

## Window Fittings and Fasteners



#### Quadrant Stay - Brass

- Made from solid brass
- For use on top-hinged windows
- Suitable for sealed windows
- Fixings supplied

Size: 37mm x 13mm	233SC	sc
	233CP	CP
	233PB	MB
	233BR	BR
	233FB	FB
	233SG	SG






#### **Quadrant Stay**

- Made from zinc diecast
- For use on top hung windows
- Suitable for sealed windows
- · Fixings supplied

033SC	sc
033CP	СР
O33FB	FB
033BR	BR





#### Windlock Fastener

- Made from solid brass
- For use on top and side-hinged windows
- Suitable for sealed windows
- Fixings supplied

sc
СР
BR
FB
SN
MB
SG


#### Packer Codes:

237SC, 237CP, 237BR, 237SG, 237SN



#### Sash Lift

- Made from solid brass
- Suitable for vertical sliding windows
- Fixings supplied





#### Spur Fastener

- Made from zinc diecast
- For use on casement windows
- Suitable for sealed windows
- Fixings supplied

915SC	SC
915CP	CP
915BR	BR
915FB	FB
915PW	PW

#### Spur Fastener

- Made from solid brass
- Suitable for sealed windows
- For use on top window hinge
- Fixings supplied





#### Sash Fastener

- Made from solid brass
- For use on casement windows
- Suitable for sealed windows
- Fixings supplied



### **Fasteners**



#### Wedge Fastener

- · Made from zinc diecast
- For use on casement windows
- Suitable for sealed windows
- Fixings supplied

916SC	sc
916CP	CP
916BR	BR
916FB	FB
916PW	PW



#### Wedge Fastener

- Made from solid brass
- For use on casement windows
- Suitable for sealed windows
- Fixings supplied

918SC	SC
918CP	СР
918BR	BR
918FB	FB
918PW	PW



## Split Rail Fastener

- Made from zinc diecast
- For use on top and side hinged windows

YEAR WARRANTY

- Suitable for sealed windows
- Fixings supplied

914SCL	sc
914SCR	sc
914CPL	CP
914CPR	CP
914BRL	BR
914BRR	BR
914FBL	FB
914FBR	FB
914PWL	PW
914PWR	(PW)

#### Split Rail Fastener

- Made from solid brass
- Use 237 packer under wedge for split rail window with no centre mullion
- Suitable for sealed windows
- Fixings supplied

236SCL	sc
236SCR	sc
236CPL	СР
236CPR	CP
236BRL	BR
236BRR	BR
236SGL	SG
236SGR	SG
236SNL	SN
236SNR	SN








#### Split Rail Fastener

- Made from zinc diecast
- For use on top and side hinged windows
- Suitable for sealed windows
- Fixings supplied

055SCL	sc
055SCR	sc
055CPL	CP
055CPR	CP
055BRL	BR
055BRR	BR
055FBL	FB
055FBR	FB
055SNL	SN
055SNR	SN
055PWL	PW
055PWR	PW
055PBL	MB
055PBR	MB
055SGL	SG
055SGR	SG

# **Fasteners**





### **Quad Window Fitting**

- Electro plated finish (hardwearing and durable)
- Available in four different finishes
- Matches Miles Nelson door handle finishes
- Suits timber windows with or without weather seals
- Modern styling
- Concealed fixing

268BLKLH	Left hand	MB
268BLKRH	Right hand	MB
268SGLH	Left hand	SG
268SGRH	Right hand	SG
268SCLH	Left hand	sc
268SCRH	Right hand	SC
268BRLH	Left hand	BR
268BRRH	Right hand	BR





### French Double Door Fastener

- Made from solid brass
- Fixings supplied

475BR	BR
475FB	FB
475CP	<b>C</b>
475SC	sc
475SG	SG
475SN	SN
475PB	MB



### **Window Cleats**

- Made from zinc diecast
- Fixings not included

Size: 60mm	058CP Chrome finish	СР
	O58BR Brass finish	BR
Size: 100mm	059CP Chrome finish	CP
	059BR Brass finish	BR

## **Wedge and Windlock Fasteners**



### Telescopic Stay - Brass

- Made from solid brass
- For use on side-hinged/ casement windows
- Suitable for sealed windows
- Metric M6 thumb screw thread
- Fixings supplied





Thumb Screw Codes:

247SC, 247CP, 247FB, 247BR, 247SN, 247SG, 247MB



### Telescopic Stay - Zinc

- Zinc alloy components with brass rod and body
- For use on side-hinged/casement windows
- Traditional thumb screw operation
- Suitable for retro fit

· Fixings supplied

- Suitable for sealed windows
- YEAR WARRANTY






Thumb Screw Codes: 917SC, 917CP, 917FB, 917PW



### **Restricted Telescopic Stay**

- Made from solid brass
- Suitable for sealed windows
- For use on side/casement windows
- Metric M6 thumb screw thread
- · Fixings supplied





BRASS LIFETIME GUARANTEE

**DESIGNED BY** 


**MILES NELSON** 

**DESIGNED BY** MILES NELSON



### Windlock Stay

- Made from solid brass
- Spring action fingerplate for multiple locating positions
- For use on side/casement windows
- Fixings supplied
- Suitable for sealed windows





BRASS LIFETIME GUARANTEE

# Safety and Security



# Safety and security



### **Window Opening Restrictor**

- Suitable for aluminium windows
- Suitable for casement / awning windows
- · Quality stainless steel construction
- Positive stop position
- Includes packers and screws

2 piece pack for 1 window	251REST2PK
4 piece pack for 2 windows	251REST4PK



### Window Opening Restrictor for Aluminium Windows

- · Powder coat finish
- Restricts window opening
- Suitable for casement / awning windows
- 80-100mm opening
- Three locating positions
- Unique glide design for ease of use
- · Quality construction
- Window can be fully opened when disengaged if required
- 2 recommended per window

1 piece pack	250SCA1	sc
	250PWA1	PW
	250PBA1	MB
2 piece pack	250PWA2	PW
	250PBA2	MB
4 piece pack	250SCA4	sc
	250PWA4	PW
	250PBA4	MB



### Window Opening Restrictor for Timber Windows

- · Powder coat finish
- Restricts window opening
- Suitable for casement / awning windows
- Three locating positions
- Unique glide design for ease of use
- Quality construction
- Window can be fully opened when disengaged if required
- 2 recommended per window

1 piece pack	250PWT1	PW
	250SCT1	SC
2 piece pack	250PWT2	PW
4 piece pack	250PWT4	PW
	250SCT4	SC





### Patio Bolt

- Secure locking function
- · Concealed screws for extra security
- Quality construction
- 45mm throw
- Unique slimline design
- Suitable for new weather sealed joinery
- Suitable for timber and aluminium
- DIY friendly installation
- Recommended for interior use only

1 piece pack	281PW1	PW
	281SC1	sc
	281PB1	MB
2 piece pack (key alike)	281PW2	PW
(key dilke)	281SC2	SC
	281PB2	MB
Key Blank	28 KEY	BR



### Mini Bolt

- Secure locking function
- Concealed screws for extra security
- Quality construction
- 28mm throw
- Suitable for new weather sealed joinery
- DIY friendly installation
- Recommended for interior use only

1 piece pack	282PW1	PW
	282SC1	sc
	282PB1	MB
2 piece pack (key alike)	282PW2	PW
(key dilke)	282SC2	sc
	282PB2	MB
Key Blank	28 KEY	BR



### **Key Lock Box**

- Portable key safe box provides secure storage of keys or access cards
- Convenient push button locking mechanism in alpha/ numeric telephone keypad format
- Set your own combination using up to 12 letters, numbers, or both
- Large buttons for ease of use, even in low light conditions
- Protective weather cover prevents freezing and jamming
- 2 options available: with and without shackle

Wall Mount	248298MN
Shackle	248297MN

# Bathroom



# **Casa Classica** Range

The timeless Casa Classica range features clean lines and minimalist detailing, designed to compliment a wide variety of décor and bathroom styles.



### **Towel Ring**

- · Chrome on brass
- Concealed fixing
- · Fixings supplied

(P 593CP







### **Robe Hook**

- Chrome on brass
- Concealed fixing
- · Fixings supplied

594CP CP



### **Towel Rail**

- · Chrome on brass
- Non adjustable rail
- · Concealed fixing
- Fixings supplied

CP Size: 600mm 595CP600 YEAR WARRANTY



### **Toilet Roll Holder**

- · Chrome on zinc diecast
- Left handed
- · Concealed fixing
- · Fixings supplied

596CP (box pack)







- Chrome on brass
- Frosted glass holder
- · Concealed fixing
- · Fixings supplied

CP 597CP



### Soap Dispenser

- Chrome on brass
- 200mmH x 30mm dia
- · Concealed fixings
- Fixing supplied

592CP **YEAR** 

WARRANTY

CP

### Soap Holder

- Chrome on brass
- Glass dish
- · Concealed fixings
- Fixing supplied



591CP





# **Quadrato** Range

The Quadrato range features bold square shapes with simple lines, designed to integrate well with the latest trends in bathroom decor.



### **Towel Ring**

- Chrome on brass
- · Concealed fixing
- · Fixings supplied

892CP











### **Robe Hook**

- Chrome on brass
- Concealed fixing
- · Fixings supplied

893CP





- Chrome on brass
- Concealed fixing
- · Fixings supplied

Size: 600mm

894CP600







### **Toilet Roll Holder**

- Chrome on brass
- · Left handed only
- · Concealed fixing
- Fixings supplied

895CP







### Soap Dispenser

- Chrome on brass
- Concealed fixings
- · Fixing supplied
- Removable bottle for easy cleaning

891CP



CP





### Soap Holder

- Chrome on brass
- Concealed fixing
- · Fixings supplied
- Removable dish for easy cleaning


890CP





## Rinnova Range

The Rinnova range sets the benchmark for contemporary design in bathroom accessories. Featuring clean balanced forms, functional design and careful detailing. Rinnova is the perfect range to update an existing bathroom, or complement quality fittings in a new bathroom.





- Chrome on brass
- Base size 15 x 40 x 70mm
- Overall size 190 x 140mm
- Concealed fixing
- Fixings supplied

5 YEAR WARRANTY

792CP



### Glass Holder

- Chrome on brass
- Base size 15 x 40 x 70mm
- Overall size 120 x 90mm
- Concealed fixing
- Fixings supplied





# **Economy** Range



### **Toilet Roll Holder**

- Bright anodised aluminium
- Suitable for glass and timber partition walls
- Can be fixed left or right handed
- · Adhesive fix only







### **Toilet Roll Holder**

- Chrome and satin chrome on steel, black nylon base
- Can be fixed left or right handed
- · Fixings supplied

Rod: 6mm	919CP	СР
Rod: 10mm	923CP	СР
	923SC	sc





### Toilet Roll Holder

- · Brushed aluminium finish
- Suitable for commercial applications
- Can be fixed left or right handed
- Concealed fixing single point hanger bolt
- Fixings supplied







### **Toilet Roll Holder**

- Can be fixed left or right handed
- Fixings supplied

112CP	СР
112SC	SC
112PW	PW





### **Toilet Roll Holder**

- Can be fixed left or right handed
- Fixings supplied





### **Towel Ring**

• Fixings supplied

114CP	CP
114SC	sc
114PW	PW





### Towel Rail



- Rail diameter: 10mm
- Base diameter: 65mm
- Fixings supplied

250mm	116CP250	СР
400mm	116CP400	СР
600mm	116CP600	CP



### Tea Towel Rail - Steel

- Rail diameter: 8mm
- Base diameter: 38mm

230mm	921CP230	СР
	921PW230	PW
300mm	921CP300	СР
	921PW300	PW
406mm	921CP406	СР
	921PW406	PW
457mm	921CP457	СР
	921PW457	PW
610mm	921CP600	СР
	921PW600	PW



# Towel Rail Brackets



### **Towel Rail End Bracket**

- Packed in pairs
- For use with 025 tubing
- Fixings supplied

Suits 19mm tube	024SC19TBP	SC
	024CP19TBP	CP
	024PW19TBP	PW
	024PB19TBP	MB





### **Towel Rail Centre Bracket**

- Packed in singles
- For use with 025 tubing
- Fixings supplied

Suits 19mm tube	024SC19CBP	sc
	024CP19CBP	СР
	024PW19CBP	PW
	024PB19CBP	MB





### **Towel Rail End Flange**

- · Packed in pairs
- For use with 025 tubing
- Fixings supplied

Suits 19mm tube	107SC19BP 	SC
	107PW19BP	PW
	107PB19BP	MB
Suits 25mm tube	107CP25	СР





### Towel Rail End Bracket

- Packed in pairs
- For use with 026 tubing
- Fixings supplied

Suits 16mm tube	028CP16T	СР
Suits 19mm tube	028CP19T	CP
Suits 25mm tube	028CP25T	<b>CD</b>





### Towel Rail Centre Bracket

- Packed in singles
- For use with 026 tubing
- Fixings supplied

Suits 16mm tube	028CP16C	CP
Suits 19mm tube	028CP19C	СР
Suits 25mm tube	028CP25C	CP







- Packed in pairs
- For use with 026 tubing
- Fixings supplied

Suits 25mm tube	030CP25	CP
Suits 19mm tube	030CP19	СР
Suits 16mm tube	030CP16	СР





### Towel Rail End Flange Oval

- Packed in pairs
- For use with 026 tubing
- Fixings supplied

 Suits 16mm tube
 029CP16
 CP

 Suits 19mm tube
 029CP19
 CP



# Towel Rail Tubing



### Towel Rail Tubing – Aluminium

- Sizes: 600-2400mm
- Available in 19mm diameter

### 19mm Tubing





### Towel Rail Tubing – Steel

- Sizes: 900-3600mm
- Available in 16mm, 19mm, 25mm diameters

### 16mm Tubing

900mm	026CP16900	CP
1200mm	026CP161200	СР
1800mm	026CP161800	CP
2700mm	026CP162700	СР
3000mm	026CP163000	СР

### 19mm Tubing

900mm	026CP19900	СР
1200mm	026CP191200	СР
1800mm	026CP191800	CP
2400mm	026CP192400	CP
2700mm	026CP192700	СР

### 25mm Tubing

900mm	026CP25900	CP
1200mm	026CP251200	<b>CP</b>
1800mm	026CP251800	<b>CP</b>
3600mm	026CP253600	CP



• Sizes: 2000-3000mm

Stainless Steel

• Available in 19mm, 25mm diameters

### 19mm Tubing

2000mm	027SS192000	SS
25mm Tub	ing	
2000mm	027SS252000	SS

# Oval Rail Tubing



### **Oval Rail Tubing**

Sizes: 1200mm, 1800mm, 2400mm

### 15mm Tubing

1200mm	023CP151200	СР
1800mm	023CP151800	СР
2400mm	023CP152400	CP



### Oval Rail Tubing End Support





### Oval Rail Tube Centre Support

023CP15C **CP** 



### **Oval Pillar End**

1 Pair 023CP15T CP



### **Oval Tube Hanging Hook**


373CP



## **Grab Rails**

### 25mm Diameter Grab Rail Tube

- Polished 304 grade stainless steel
- Residential use only
- Knurled grip area
- Concealed screw fixing





### 25mm Diameter Angle Grab Rail Tube

- Polished 304 grade stainless steel
- Residential use only
- Knurled grip area
- Concealed screw fixing
- 45 degree curve







### 25mm Diameter L Shape Tube

- Polished 304 grade stainless steel
- Residential use only
- Knurled grip area
- Concealed screw fixing
- 90 degree bend

535GRB400SS S





# Kick Plates, Numbers and Letters

Quality numbers and letters in a contemporary font to identify street and apartment numbers for use on letterboxes, fences and walls. Available in two sizes in either concealed or adhesive fix, in a brushed stainless steel or matt black finish.



### **Kick Plates**



### Kick Plate 200mm



- 304 grade stainless steel
- 200mmH
- Suitable for commercial applications
- Pre-drilled and countersunk holes
- Stainless steel screws supplied

Door size	Plate Width				
610mm	585mm	500KP610-200	SS		
710mm	685mm	500KP710-200	SS		
760mm	735mm	500KP760-200	SS		
810mm	785mm	500KP810-200	SS		
860mm	835mm	500KP860-200	SS		
910mm	885mm	500KP910-200	SS		



### Kickplate 300mm



- Made from 304 Grade stainless steel
- 300mm high
- 1.2mm thick
- Suitable for commercial applications
- Pre-drilled and countersunk holes
- Stainless steel screws supplied

585mm	501KP610-300	SS
685mm	501KP710-300	SS
735mm	501KP760-300	SS
785mm	501KP810-300	SS
835mm	501KP860-300	SS
885mm	501KP910-300	SS



### Push Plate 300mm



- Made from brushed 304 Grade stainless steel
- Blank (not engraved) push plate
- 300 high x 100mm wide
- Suitable for commercial applications
- Fixings supplied

**300mm** 502PP300-100



# Engraved Push Plate



- Made from brushed 304 Grade stainless steel
- Engraved Push plate
- 300 high x 100mm wide
- Suitable for commercial applications
- · Fixings supplied

300mm 502PPENGR St



**PUSH** 

# Engraved Pull Plate with Handle 300mm



- Made from brushed 304 Grade stainless steel
- Engraved Pull plate
- 300 high x 100mm wide
- Suitable for commercial applications
- Fixings supplied

**300mm** 502PPENGRH





### **Round Sign**

- Made from brushed 304 Grade stainless steel
- · 'Push' sign for restroom doors
- Round 75mm diameter
- Suitable for commercial applications
- Fixings supplied

-		
CHANGE	Baby Change	503PPTBC
(是) 水	Wheelchair Accessible	503PPTDIS
	Men	503PPTM
* *	Men/Women	503PPTM/W
TAT	Women	503PPTW
DILL BILL	Pull	503PULPR
PULL PULL	Push	503PUSPR

# Concealed Fix Numbers and Letters





### Numbers 0-9 - Concealed Fix

- Made from 304 grade stainless steel
- Fixings supplied

#### 100mm / 2mm thick

0	721SS1000	SS
	721PB1000	MB
1	721SS1001	SS
	721PB1001	MB
2	721SS1002	SS
	721PB1002	MB
3	721SS1003	SS
	721PB1003	MB
4	721SS1004	SS
	721PB1004	MB
5	721SS1005	SS
	721PB1005	MB
6	721SS1006	SS
	721PB1006	MB
7	721SS1007	SS
	721PB1007	MB
8	721SS1008	SS
	721PB1008	MB
9	721SS1009	SS
	721PB1009	MB





#### 155mm / 2mm thick

0	721SS1550	SS
	721PB1550	MB
1	721SS1551	SS
	721PB1551	МВ
2	721SS1552	SS
	721PB1552	МВ
3	721SS1553	SS
	721PB1553	MB
4	721SS1554	SS
	721PB1554	MB
5	721SS1555	SS
	721PB1555	MB
6	721SS1556	SS
	721PB1556	MB
7	721SS1557	SS
	721PB1557	MB
8	721SS1558	SS
	721PB1558	MB
9	721SS1559	SS
	721PB1559	MB



### Letters A-E – Concealed Fix

• Fixings supplied

100mm / 2mm thick

A	722SS100A	SS
	722PB100A	MB
В	722SS100B	SS
	722PB100B	MB
С	722SS100C	SS
	722PB100C	MB





D	722SS100D	SS
	722PB100D	MB
E	722SS100E	SS
	722PB100E	MB

# Adhesive Fix Numbers and Letters



# 3

### Numbers 0-9 – Adhesive Fix




100mm		
0	521SS1000	SS
1	521SS1001	SS
2	521SS1002	SS
3	521SS1003	SS
4	521SS1004	SS
5	521SS1005	SS
6	521SS1006	SS
7	521SS1007	SS
8	521SS1008	SS
9	521SS1009	SS

155mm / 2mm Thick					
0	521SS1550	SS			
1	521SS1551	SS			
2	521SS1552	SS			
3	521SS1553	SS			
4	521SS1554	SS			
5	521SS1555	SS			
6	521SS1556	SS			
7	521SS1557	SS			
8	521SS1558	SS			
9	521SS1559	SS			

### Letters A-E - Adhesive Fix







# Miles Nelson<sup>®</sup> Commercial



On the following pages you find a selection of our commercial range. To view our complete commercial hardware catalogue visit: milesnelson.co.nz or Scan the QR code:





# MNC Door Hardware Kits

 All kits are supplied with a fire rated mortice lock and forged brass door handles suitable for commercial and residential applications

- 25 year mechanical warranty on commercial mortice lock / 10 year warranty on handles
- Includes installation template and setup instructions
- Suitable for retro fitting and new installations
- Tamper proof seals on box suitable for retail









Product Code	Description	Components	Products				
MNCKITEL	Entrance Lock Kit (Non-handed)	Mortice Lock: MNC5000 Lever: MNC151/90 Lever: MNC154/90 Snib Adaptor: MNCAD5200-01 Key Barrel: MNC570 incl keys				200	
MNCKITST	Storeroom Lock Kit (Non-handed)	Mortice Lock: MNC5000 Lever: MNC151/90 Lever: MNC156/90 Key Barrel: MNC570 incl keys Cams: MNCX2CAM/MNCZ2CAM for storeroom & classroom functions	()		•		
MNCKITPS	Passage Set Kit (Non-handed)	Mortice Lock: MNC5409 Lever: MNC155/90 Lever: MNC156/90	T:		•		
MNCKITPRLH	Privacy Lock Kit (Left Hand)	Mortice Lock: MNC5000 Lever: MNC153I/90 Lever: MNC154CLTLH/90 Snib Adaptor: MNCAD5200-01	(	•		No.	
MNCKITPRRH	Privacy Lock Kit (Right Hand)	Mortice Lock: MNC5000 Lever: MNC153I/90 Lever: MNC154CLTRH/90 Snib Adaptor: MNCAD5200-01		•		200	

# MNC5000 Series Wide Style Mortice Locks

The 5000 series mortise locks have a 25 year mechanical warranty. The fire icon indicates a lock body that has been tested on a range of timber and mineral core doors. Check with your Miles Nelson representative for more information on fire ratings.



### **60mm Backset Mortice Lock**

- 88mm case depth
- 8mm spindle hub, spindle supplied
- Suits up to 55mm thick door
- 41mm centre to centre rose fixings



### 60mm Backset Mortice Sliding Door Deadbolt

• Zinc diecast body / stainless bolt



# MNC570 MNC570KA (Keyed alike)

### **Oval Key Cylinder**

- Cylinder is 34mm overall
- Includes 2 keys (C4 profile)
- Suits up to 53mm thick door



### 60mm Backset Mortice Passage Latch

- 8mm spindle hub
- Non locking / no deadlatch



### MNC5000RK



### Latchbolt Rebate Kit

• For 5000 & 5409



# MNC570E (Keyed alike)

### **Extended Oval Key Cylinder**

- Cylinder is 41mm overall
- Suits 55-60mm thick door
- Includes 2 keys (C4 profile)



### 60mm Backset Mortice Deadbolt

• Zinc diecast body / stainless bolt



### MNC5100RK



### **Deadbolt Rebate Kit**

• For 5100



### MNCAD5200-01

### Common Butterfly Adaptor

- Common turn adaptor
- Use with 5000 lock



### MNCAD5100-01

### Deadlock Sliding Lock Adaptor

• Use with 5100 and 5300 locks

### **MNC Door Closers**

The hydraulic 8000 series door closers are an aluminium body with a silver finish and have a 10 year warranty. Products on this page with the fire icon have been tested on a range of timber and mineral core approved fire doors. Contact Miles Nelson for more information or check door manufacturers approved lists.



### EN3 – 4 Closer

- Adjustable back check/delay action function
- Includes parallel fixing bracket
- Adjustable closing and latching speeds
- Magnetic trim cover (MNC8404CP)



### MNC8000DP



### **Drop Plate**

- Suits 8404 and 8626
- Fixings included



### MNC8000ZB



### **Z** Bracket

- Suits 8404 and 8626
- Fixings included



### MNC8626BC/DA



### MNCD002



### EN2 - 6 Closer (adjustable)

- Adjustable back check/delay action function
- Includes parallel fixing bracket
- Adjustable closing and latching speeds
- Magnetic trim cover (MNC8626CP)

### **Door Selector**

- For double doors
- Allow self latching doors to close in correct sequence
- Fixings included



### MNC8404HO MNC8626HO



### **Hold Open Arm**

- MNC8404HO suits MNC8040BC/DA
- MNC8626HO suits MNC8626BC/DA
- Ball joint for positive hold open




### MNC8404SA MNC8626SA



### Slide Arm Kit

- MNC8404SA suits MNC8404BC/DA
- MNC8626SA suits MNC8626BC/DA
- Removable hold open feature
- Use of slide arm reduces closer power by 30%





Model	Dimension (mm)		Hole Spacing (mm)		Applicable door weight	Applicable door width	Power Size	
	Α	В	С	D	Е	(kg)	(mm)	Size
MNC8404BC/DA	207	55	40	50	39	60 – 85	930 – 1100	3-4
MNC8626BC/DA	236	61	43	50	45	25 – 150	800 – 1400	2-6 Adjustable

## **MNC Door Furniture**

### Wide Long Plate (Satin Chrome on Brass)

### **Quick Handing Change Design**

**Door Handle Specifications:** 

**Base** 

Length: 175mm Width: 48mm Depth: 11.5mm Screwfix CTC: 158mm Screw: Μ4 7.6mm Spindle: Material: **Brass** 

Warranty: 10 year mechanical



- Disability compliant
- Retrofits most commercial handles
- All MNC handles come with screws to suit up to 55mm thick doors

### **MNC150SCREW**

### Screw for door thickness 55-65mm

- 80mm M4 SS screw (pair)
- Suits up to 65mm door
- Use with wide and narrow long plate furniture
- Break off sections



### MNC151/90

and Cylinder Hole

# **External with Lever**

### MNC155/90

### External with Lever no Cylinder Hole



### **MNC101**

**External with Cylinder** Hole - no Lever



### **MNC105**

### External – no Lever or Cylinder Hole



MNC1531/90

### **External with Lever and** Indicator and Release



MNC152/90

Internal with Lever and Cylinder Hole



### MNC156/90



Internal with Lever – no Cylinder Hole



### MNC154/90



Internal with Lever and Turn



MNC154CLTLH/90 (Left hand)
MNC154CLTRH/90 (Right hand)



Internal with lever and large turn

Note: Image shown is left hand

### **Round Rose and Accessories**



### MNCR53/90



### 53mm Round Rose Lever Pair

- Satin Chrome on brass lever
- Screw on cover
- Screw fixing centre to centre 41mm
- Takes 7.6mm spindle



### **MNCR53SCREW**




- 80mm M4SS (pair)
- Suits up to 65mm door
- Use with R53 Rose Levers and accessories
- Break off sections



### MNCR53B



### **Round Rose Blank**



- For back to back fixing use with MNCR53CE
- Screw on cover



**MNCR53TS** 



### **Turn Snib**

- Fixings included for back to back and face fixing
- For back to back fixing use with MNCR53CE / MNCR53ER / MNCR53ERIND
- Screw on cover



### **MNCR53TSDA**



### Large Turn Snib

- Fixings included for back to back and face fixing
- For back to back fixing use with MNCR53CE / MNCR53ER / MNCR53ERIND
- Screw on cover



**MNCR53ERIND** 



### **Emergency Release**

### Fixings included for back to back and face fixing

- For back to back fixing use with MNCR53TS or MNCR53TSDA
- Screw on cover

(Indicating)



**MNCR53ER** 



# Emergency Release (Non-Indicating)

- Fixings included for back to back and face fixing
- For back to back fixing use with MNCR53TS or MNCR53TSDA
- Screw on cover



MNCR53CE



### Oval Cylinder Escutcheon


- Fixings included for back to back and face fixing
- For back to back fixing use with MNCR53B or MNCR53TS or MNCR53TSDA
- Screw on cover





# **Longplate Handles**





commercial@milesnelson.co.nz



View our complete commercial hardware catalogue online at: www.milesnelson.co.nz or Scan the QR code >



# **Notes:**

# **Notes:**



# Miles Nelson® Architectural Hardware est. 1928



To view the full range of products visit:

milesnelson.co.nz

P: 0800 663 5766 F: +64 9 489 5552

**E: info@milesnelson.co.nz** PO Box: 31 043 | Milford, Auckland

Follow us on:

milesnelsonNZ
MilesNelsonNZ

in milesnelsonnz